

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Reference number: -Issue date: 29/04/2025 - Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form Trade name	: Mixture : Peach Smoothie
UFI	: 943A-F5V3-900H-45AD
Product code	: -
Product group	: Perfume concentrate

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec

: Industrial For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Candle Fragrance Supply 201 Marvel Road 21801 SALISBURY USA (443) 206-8406 contact@candlefragrancesupply.com, www.candlefragrancesupply.com

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

clussification according to regulation (EC) no. 1212/2000	for 1
Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 2	H319
Skin sensitisation, Category 1	H317
Hazardous to the aquatic environment – Chronic Hazard,	H411
Category 2	
Full text of H- and EUH-statements: see section 16	

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]





Signal word (CLP) Contains : Warning

: ALDEHYDE C16; CINNAMATE METHYLE; DIHYDROFLORIFONE; CITRONELLOL; LIMONENE DROIT (+100); LINALOL; METHYLIONONE GAMMA; GERANIOL; PINENE BETA; SALICYLATE BENZYLE; SALICYLATE HEXYLE; TRIPLAL

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazard statements (CLP)	: H315 - Causes skin irritation. H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation.
	H411 - Toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
	P264 - Wash hands, forearms and face thoroughly after handling.
	P272 - Contaminated work clothing should not be allowed out of the workplace.
	P273 - Avoid release to the environment.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
	P302+P352 - IF ON SKIN: Wash with plenty of water.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P321 - Specific treatment (see supplemental first aid instruction on this label).
	P332+P313 - If skin irritation occurs: Get medical advice/attention.
	P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
	P337+P313 - If eye irritation persists: Get medical advice/attention.
	P362+P364 - Take off contaminated clothing and wash it before reuse.
	P391 - Collect spillage.
	P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ALDEHYDE C14	CAS-No.: 104-67-6 EC-No.: 203-225-4 REACH-no: 01-2119959333- 34-XXXX	10 – 20	Aquatic Chronic 3, H412
LINALOL	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016- 42-0000	10 – 20	Eye Irrit. 2, H319 Skin Irrit. 2, H315 Skin Sens. 1B, H317
BUTYRATE DMBC	CAS-No.: 10094-34-5 EC-No.: 233-221-8 REACH-no: 01-2120742578- 44	5 – 10	Aquatic Chronic 2, H411
ANTHRANYLATE METHYLE	CAS-No.: 134-20-3 EC-No.: 205-132-4 REACH-no: 01-2120478941- 44	5 – 10	Eye Irrit. 2, H319

Safety Data Sheet

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
VELTOL PLUS	CAS-No.: 4940-11-8 EC-No.: 225-582-5	5 – 10	Acute Tox. 4 (Oral), H302
VERDOX	CAS-No.: 88-41-5 EC-No.: 201-828-7 REACH-no: 01-2119970713- 33-0005	5 – 10	Aquatic Chronic 2, H411
SALICYLATE HEXYLE	CAS-No.: 6259-76-3 EC-No.: 228-408-6 REACH-no: 01-2119638275- 36-XXXX	5 – 10	Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Skin Sens. 1B, H317
ALDEHYDE C16	CAS-No.: 77-83-8 EC-No.: 201-061-8 REACH-no: 05-2114135369- 45-0000	5 – 10	Aquatic Chronic 2, H411 Skin Sens. 1B, H317
SALICYLATE BENZYLE	CAS-No.: 118-58-1 EC-No.: 204-262-9 REACH-no: 01-2119969442- 31	5 – 10	Eye Irrit. 2, H319 Aquatic Chronic 3, H412 Skin Sens. 1B, H317
ACETYL EUGENOL	CAS-No.: 93-28-7 EC-No.: 202-235-6	5 – 10	Acute Tox. 4 (Oral), H302
RHODIAROME	CAS-No.: 121-32-4 EC-No.: 204-464-7 REACH-no: 01-2119958961- 24	1 – 5	Eye Irrit. 2, H319
METHYLIONONE GAMMA	CAS-No.: 127-51-5 EC-No.: 204-846-3 REACH-no: 01-2119471851- 35-0000	1 – 5	Aquatic Chronic 2, H411 Skin Sens. 1B, H317
benzaldehyde	CAS-No.: 100-52-7 EC-No.: 202-860-4 EC Index-No.: 605-012-00-5 REACH-no: 01-2119455540- 44	1 – 5	Acute Tox. 4 (Oral), H302
GERANIOL	CAS-No.: 106-24-1 EC-No.: 203-377-1 EC Index-No.: 603-241-00-5 REACH-no: 01-2119552430- 49-0000	1 – 5	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317
CARYOPHYLLENE	CAS-No.: 87-44-5 EC-No.: 201-746-1	1 – 5	Skin Sens. 1B, H317 Asp. Tox. 1, H304
LIMONENE DROIT (+100)	CAS-No.: 5989-27-5 EC-No.: 227-813-5 EC Index-No.: 601-096-00-2 REACH-no: 01-2119529223- 47-0007	1 – 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
UNDECAVERTOL	CAS-No.: 81782-77-6 EC-No.: 279-815-0 REACH-no: 01-2119983528- 21-0000	1 – 5	Aquatic Acute 1, H400 Aquatic Chronic 2, H411

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
CITRONELLOL	CAS-No.: 106-22-9 EC-No.: 203-375-0 REACH-no: 01-2119453995- 23-0000	1 – 5	Eye Irrit. 2, H319 Skin Irrit. 2, H315 Skin Sens. 1B, H317
SALICYLATE AMYLE	CAS-No.: 2050-08-0 EC-No.: 218-080-2 REACH-no: 01-2119969444- 27-XXXX	0.1 – 1	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
PINENE BETA	CAS-No.: 127-91-3 EC-No.: 204-872-5 REACH-no: 01-2119519230- 54-0000	0.1 – 1	Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317
CINNAMATE METHYLE	CAS-No.: 103-26-4 EC-No.: 203-093-8 REACH-no: 01-2119979458- 16-0000	0.1 – 1	Skin Sens. 1B, H317
TRIPLAL	CAS-No.: 68039-49-6 EC-No.: 268-264-1 REACH-no: 01-2119982384- 28-0001	0.1 – 1	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411
DIHYDROFLORIFONE	CAS-No.: 57378-68-4 EC-No.: 260-709-8 REACH-no: 01-2119535122- 53-0000	0.1 – 1	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Skin Irrit. 2, H315 Skin Sens. 1A, H317

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Wash with plenty of water/ Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention. Specific treatment (see supplemental first aid instruction on this label). If skin irritation or rash occurs:
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and eas to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and effects	, both acute and delayed
Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after eye contact	 May cause an allergic skin reaction. Causes skin irritation. Causes serious eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	Foam. Dry powder. Carbon dioxide. Water spray. Sand.Do not use a heavy water stream.
5.2. Special hazards arising from the substa	ance or mixture
No additional information available	
5.3. Advice for firefighters	
Firefighting instructions Protection during firefighting	 Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment. Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release measur	res
6.1. Personal precautions, protective equip	ment and emergency procedures
6.1.1. For non-emergency personnel Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders Protective equipment Emergency procedures	: Equip cleanup crew with proper protection. : Ventilate area.
6.2. Environmental precautions	
Prevent entry to sewers and public waters. Notify aut	thorities if liquid enters sewers or public waters. Avoid release to the environment.
6.3. Methods and material for containment	and cleaning up
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling Hygiene measures	 Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash hands, forearms and face thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage, including	ng any incompatibilities
Storage conditions	 Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use. Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight.
Maximum storage period	: 12 months
7.3. Specific end use(s)	

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection: Chemical goggles or safety glasses

8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection: Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection: Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and	chemical properties	
9.1. Information on basic ph	iysical and chemical properties	
Physical state	: Liquid	
Colour Odour	: Yellow-brown. : Fruity. Gourmand.	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

.	
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Non flammable.
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: 83 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not available
Viscosity, kinematic	: Not available
Solubility	: Alcohol.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: 0.998 (0.993 – 1.003)
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

Refractive index

: 1.493 (1.488 - 1.498)

SECTION 10: Stability and reactivity
10.1. Reactivity
No additional information available
10.2. Chemical stability
Not established.
10.3. Possibility of hazardous reactions
Not established.
10.4. Conditions to avoid
Direct sunlight. Extremely high or low temperatures.
10.5. Incompatible materials
Strong acids. Strong bases.
10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)
Acute toxicity (dermal)
Acute toxicity (inhalation)

- : Not classified
- : Not classified
- : Not classified

Safety Data Sheet

L050 oral 1670 mg/kg bodyweight D650 oral 1430 mg/kg bodyweight L050 oral 1430 mg/kg bodyweight L050 oral 2500 mg/kg bodyweight L050 oral 1.5 mg/k/h ANTHRANYLATE METHYLE (134-20-3) 1.5 mg/k/h L050 oral 2780 mg/kg bodyweight L050 oral 2780 mg/kg bodyweight L050 oral 2810 mg/kg bodyweight L050 oral 2810 mg/kg bodyweight L050 oral 1400 mg/kg bodyweight L050 oral 2810 mg/kg bodyweight L050 oral 2810 mg/kg bodyweight L050 oral 2850 mg/kg bodyweight L050 oral 2850 mg/kg bodyweight L050 oral 2850 mg/kg bodyweight L050 oral 2790 mg/kg bodyweight L050 oral 2790 mg/kg bodyweight L050 oral 2790 mg/kg bodyweight CB50 oral 2790 mg/kg bodyweight CB50 oral 3000 mg/kg bodyweight CB50 oral 2700 mg/kg bodyweight CB50 oral 2000 mg/kg bodyweight SALICYLATE AMYLE (2050-08-0) 2000 mg/kg bodyweight L050 oral 2000 mg/kg bodyweight SALICYLATE ENZYLE (118-58-1) 2000 mg/kg bodyweight L050 oral 3900 mg/kg bodyweight SUB0 oral <	ACETYL EUGENOL (93-28-7)	
LDS0 oral 1430 mgkg bodyweight LDS0 dermal 2500 mgkg bodyweight LCS0 Inhalaton - Ret (Dust/Mist) 1.5 mg/t/4h ANTHRANYLATE METHYLE (134-20-3) 2780 mgkg bodyweight LDS0 oral 2780 mgkg bodyweight LDS0 oral 2780 mgkg bodyweight LDS0 oral 2810 mg/kg bodyweight DHYDROFLORIFONE (57378-88-4) 1400 mg/kg bodyweight LDS0 oral 1400 mg/kg bodyweight CITROMELLOL (106-22-9) 1400 mg/kg bodyweight LDS0 oral 3450 mg/kg bodyweight LDS0 oral 2850 mg/kg bodyweight LDS0 oral 3450 mg/kg bodyweight LDS0 oral 2850 mg/kg bodyweight LDS0 oral 2850 mg/kg bodyweight LDS0 oral 2850 mg/kg bodyweight CHRANCL (106-24-1) 1000 mg/kg bodyweight LDS0 oral 3600 mg/kg bodyweight RHODLAROME (121-32-4) 1000 mg/kg bodyweight SALICYLATE AMYLE (2050-86-0) 10000 mg/kg bodyweight SALICYLATE ENEXYLE (118-58-1) 1200 mg/kg bodyweight SALICYLATE ENEXYLE (148-58-1) 1200 mg/kg bodyweight SUB oral 2000 mg/kg bodyweight SUB oral 3000 mg/kg bodyweight SUB oral 1200 mg/kg bodyweight SUB oral 1200 mg/kg bodyweight <tr< td=""><td>LD50 oral</td><td>1670 mg/kg bodyweight</td></tr<>	LD50 oral	1670 mg/kg bodyweight
LDS0 darmal 2000 mg/kg bodyweight LCS0 Inhalaton - Rat (Dust/Mist) 1.5 mg/l4h ANTHRANYLATE METHYLE (134-20-3) Inhalaton - Rat (Dust/Mist) LDS0 oral 2700 mg/kg bodyweight CINNAMATE METHYLE (103-26-4) Inhalaton - Rat (Dust/Mist) LDS0 oral 2510 mg/kg bodyweight DHYDROFLORIFONE (57378-68-4) Inhom Ratio - Rat (Dust/Mist) LDS0 oral 1400 mg/kg bodyweight CITRONELLOL (106-22-9) Inhom Ratio - Rat (Dust/Mist) LDS0 oral 3450 mg/kg bodyweight LDS0 oral 2500 mg/kg bodyweight LDS0 oral 2500 mg/kg bodyweight CIRONELLOL (106-22-9) Inhom Ratio - Ratio	benzaldehyde (100-52-7)	
LC50 Inhalation - Rat (Dust/Mist) 1.5 mg/l4h ANTHRANYLATE METHYLE (134-20-3) Z780 mg/lg bodyweight CINNAMATE METHYLE (103-26-4) LD50 oral DIHYDROFLORIFONE (57378-68-4) Z610 mg/lg bodyweight DIG oral 2610 mg/lg bodyweight DIHYDROFLORIFONE (57378-68-4) LD50 oral LD50 oral 1400 mg/lg bodyweight LD50 oral 3450 mg/lg bodyweight LD50 oral 2650 mg/lg bodyweight LD50 oral 3450 mg/lg bodyweight LD50 oral 3450 mg/lg bodyweight LD50 oral 3450 mg/lg bodyweight LD50 oral 3600 mg/lg bodyweight LD50 oral 3000 mg/lg bodyweight CBERANIOL (106-24-1) LD50 oral LD50 oral 3000 mg/lg bodyweight SALICYLATE AMYLE (2050-08-0) LD50 oral LD50 oral 2000 mg/lg bodyweight SALICYLATE BENZYLE (118-58-1) LD50 oral LD50 oral 2000 mg/lg bodyweight TRIPLAL (68039-49-6) LD50 oral LD50 oral 1200 mg/lg bodyweight VELTOL PLUS (4940-11-3) LD50 oral LD50 oral 1200 mg/lg bodyweight VELTOL PLUS (4940-11-3) LD50 oral LD50 oral 1200 mg/lg bodyweight VERDOX (88-1-5) CLS00 oral	LD50 oral	1430 mg/kg bodyweight
ANTHRANYLATE METHYLE (134-20-3) LD50 oral 2780 mg/kg bodyweight CINNAMATE METHYLE (103-26-4) 2610 mg/kg bodyweight DDFOPCPLORIFONE (57378-68-4) 1400 mg/kg bodyweight DISO oral 1400 mg/kg bodyweight CINNAMATE METHYLE (105-22-9) 1400 mg/kg bodyweight LD50 oral 3450 mg/kg bodyweight LD50 oral 2650 mg/kg bodyweight LD50 oral 2650 mg/kg bodyweight LD50 oral 2790 mg/kg bodyweight LD50 oral 2790 mg/kg bodyweight CIRANICL (106-24-1) 1000 mg/kg bodyweight LD50 oral 3000 mg/kg bodyweight RHODIAROME (121-32-4) 1000 mg/kg bodyweight LD50 oral 3000 mg/kg bodyweight SALICYLATE AMYLE (2050-08-0) 1000 mg/kg bodyweight SALICYLATE BENZYLE (118-58-1) 2000 mg/kg bodyweight LD50 oral 3000 mg/kg bodyweight VELTOL PLUS (4940-11-8) 1000 mg/kg bodyweight LD50 oral 3000 mg/kg bodyweight VELTOL PLUS (4940-11-8) 1000 mg/kg bodyweight LD50 oral 1200 mg/kg bodyweight VERDOX (88-41-5)	LD50 dermal	2500 mg/kg bodyweight
LD50 oral 2780 mg/kg bodyweight CINNAMATE METHYLE (103-26-4) 2610 mg/kg bodyweight DHYDROFLORIFONE (57378-68-4) 1400 mg/kg bodyweight DIHYDROFLORIFONE (57378-68-4) 1400 mg/kg bodyweight CITRONELLOL (106-22-9) 1400 mg/kg bodyweight DB50 oral 3450 mg/kg bodyweight LD50 oral 2650 mg/kg bodyweight LD50 oral 2650 mg/kg bodyweight LD50 oral 2650 mg/kg bodyweight B50 oral 2790 mg/kg bodyweight GERANIOL (106-24-1) 1000 mg/kg bodyweight LD50 oral 3600 mg/kg bodyweight SALICYLATE AMYLE (2050-08-0) 1000 mg/kg bodyweight SALICYLATE AMYLE (2050-08-0) 1000 mg/kg bodyweight SALICYLATE BENZYLE (118-58-1) 2000 mg/kg bodyweight SALICYLATE BENZYLE (118-58-1) 2000 mg/kg bodyweight D50 oral 2000 mg/kg bodyweight VELTOL PLUS (4940-11-8) 1200 mg/kg bodyweight VELTOL PLUS (4940-11-8) 1200 mg/kg bodyweight VERDOX (88-41-5) Causes scin initiation. Scinous orge damage/iritation Causes scinous eye iritation. Resprintery or skin sensitisation Mot causeified	LC50 Inhalation - Rat (Dust/Mist)	1.5 mg/l/4h
CINNAMATE METHYLE (103-26-4) LDS0 oral 2610 mg/kg bodyweight DIHYDROFLORIFONE (57378-68-4) LD50 oral 1400 mg/kg bodyweight CITRONELLOL (106-22-9) LD50 oral 3450 mg/kg bodyweight LD50 oral 2850 mg/kg bodyweight LD50 oral 2850 mg/kg bodyweight LD50 oral 2790 mg/kg bodyweight LD50 oral 2790 mg/kg bodyweight GERANIOL (106-24-1) E LD50 oral 3800 mg/kg bodyweight CISO oral 3000 mg/kg bodyweight CISO oral 3000 mg/kg bodyweight SALICYLATE AMYLE (2050-08-0) E LD50 oral 2000 mg/kg bodyweight SALICYLATE BENZYLE (118-58-1) E LD50 oral 2000 mg/kg bodyweight SALICYLATE BENZYLE (118-58-1) E LD50 oral 2000 mg/kg bodyweight VETOL PLUS (4940-11-8) E LD50 oral 1200 mg/kg bodyweight VETOL PLUS (4940-11-8) E LD50 oral 4000 mg/kg bodyweight VETOL PLUS (4940-11-8) E LD50 oral 6000 mg/kg bodyweight	ANTHRANYLATE METHYLE (134-20-3)	
LD50 oral 2610 mg/kg bodyweight DIHYDROFLORIFONE (57378-68-4) 1400 mg/kg bodyweight LD50 oral 1400 mg/kg bodyweight CITRONELLOL (106-22-9) 2550 mg/kg bodyweight LD50 oral 2450 mg/kg bodyweight LD50 oral 2500 mg/kg bodyweight LD50 oral 2790 mg/kg bodyweight LD50 oral 2790 mg/kg bodyweight GERANIOL (106-24-1) 2000 mg/kg bodyweight LD50 oral 3600 mg/kg bodyweight GERANIOL (106-24-1) 2000 mg/kg bodyweight LD50 oral 3600 mg/kg bodyweight SALICYLATE AMYLE (2050-08-0) 2000 mg/kg bodyweight LD50 oral 2000 mg/kg bodyweight SALICYLATE AMYLE (2050-08-0) 2000 mg/kg bodyweight SALICYLATE BENZYLE (118-58-1) 2000 mg/kg bodyweight D50 oral 2000 mg/kg bodyweight SALICYLATE AMYLE (2050-08-0)	LD50 oral	2780 mg/kg bodyweight
DHYDROFLORIFONE (\$7378-68-4) LD50 oral 1400 mg/kg bodyweight CITRONELLOL (106-22-9) 2500 mg/kg bodyweight LD50 oral 2650 mg/kg bodyweight LD50 oral 2650 mg/kg bodyweight LD50 oral 2650 mg/kg bodyweight LINALOL (78-70-6) 2790 mg/kg bodyweight LD50 oral 2790 mg/kg bodyweight GERANIOL (106-24-1) 2500 mg/kg bodyweight LD50 oral 3600 mg/kg bodyweight RHODIAROME (121-32-4) LD50 oral LD50 oral 2000 mg/kg bodyweight SALICYLATE AMYLE (2050-08-0) LD50 oral LD50 oral 2000 mg/kg bodyweight SALICYLATE BENZYLE (118-58-1) LD50 oral LD50 oral 2000 mg/kg bodyweight SALICYLATE BENZYLE (118-58-1) LD50 oral LD50 oral 2000 mg/kg bodyweight VELOL PLUS (4940-11-8) LD50 oral LD50 oral 1200 mg/kg bodyweight VERDOX (88-41-5) LD50 oral LD50 oral 4000 mg/kg bodyweight VERDOX (88-41-5) Causes skin irritation. Serious eye damage/iritation<	CINNAMATE METHYLE (103-26-4)	
LD50 oral 1400 mg/kg bodyweight CITRONELLOL (106-22-9) 2550 mg/kg bodyweight LD50 oral 2550 mg/kg bodyweight LD50 oral 2550 mg/kg bodyweight LD50 oral 2790 mg/kg bodyweight CITRONELLOL (106-24-1) 2790 mg/kg bodyweight D50 oral 3600 mg/kg bodyweight RHODIAROME (121-32-4) 2000 mg/kg bodyweight SALICYLATE AMYLE (2050-08-0) 2000 mg/kg bodyweight SALICYLATE BENZYLE (118-58-1) 2000 mg/kg bodyweight SALICYLATE BENZYLE (118-58-1) 2000 mg/kg bodyweight SALICYLATE BENZYLE (118-58-1) 2000 mg/kg bodyweight D50 oral 2000 mg/kg bodyweight SALICYLATE BENZYLE (118-58-1) 2000 mg/kg bodyweight LD50 oral 2000 mg/kg bodyweight SALICYL PLUS (4940-11-8) 2000 mg/kg bodyweight LD50 oral 3900 mg/kg bodyweight VERDOX (88-41-5) 200 mg/kg bodyweight LD50 oral 4600 mg/kg bodyweight Seious eye damage/irritation : Causes seirious eye wirtation. Serious eye damage/irritation : Causes seirious eye wirtation. Remocilivity constant : May cause an allergic skin reaction. <t< td=""><td>LD50 oral</td><td>2610 mg/kg bodyweight</td></t<>	LD50 oral	2610 mg/kg bodyweight
CITRONELLOL (106-22-9) LD50 oral 3450 mg/kg bodyweight LD50 dermal 2650 mg/kg bodyweight LINALOL (78-70-6) LD50 oral 2790 mg/kg bodyweight GERANIOL (106-24-1) LD50 oral 3600 mg/kg bodyweight RHODIAROME (121-32-4) LD50 oral 3000 mg/kg bodyweight SALICYLATE AMYLE (2050-08-0) LD50 oral 2000 mg/kg bodyweight SALICYLATE BENZYLE (118-58-1) LD50 oral 2000 mg/kg bodyweight SALICYLATE BENZYLE (118-58-1) LD50 oral 2000 mg/kg bodyweight TRIPLAL (68039-49-6) LD50 oral 3900 mg/kg bodyweight VELTOL PLUS (4940-11-8) LD50 oral 1200 mg/kg bodyweight VELTOL PLUS (4940-11-8) LD50 oral 1200 mg/kg bodyweight VERDOX (88-41-5) LD50 oral 1200 mg/kg bodyweight Skin corrosion/irritation : Causes skin irritation. Serious eye damage/irritation : Causes serious eye irritation. Serious eye damage/irritation	DIHYDROFLORIFONE (57378-68-4)	
LD50 oral3450 mg/kg bodyweightLD50 dermal2650 mg/kg bodyweightLINALOL (78-70-6)2790 mg/kg bodyweightGERANIOL (106-24-1)1000 mg/kg bodyweightGERANIOL (106-24-1)1000 mg/kg bodyweightLD50 oral3600 mg/kg bodyweightRHODIAROME (121-32-4)1000 mg/kg bodyweightSALICYLATE AMYLE (2050-08-0)1000 mg/kg bodyweightSALICYLATE BENZYLE (118-58-1)2000 mg/kg bodyweightSALICYLATE BENZYLE (118-58-1)1000 mg/kg bodyweightSALICYLATE BENZYLE (118-58-1)1000 mg/kg bodyweightSO oral2000 mg/kg bodyweightVELTOL PLUS (4940-11-8)1200 mg/kg bodyweightVELTOL PLUS (4940-11-8)1200 mg/kg bodyweightVELTOL PLUS (4940-11-8)1200 mg/kg bodyweightVERDOX (88-41-5)1200 mg/kg bodyweightSkin corrosion/irritation1 causes skin irritation.Serious eye damage/irritation2 causes aerious eye irritation.Serious eye damage/irritation2 May cause an allergic skin reaction.Gem cell mutagenicityNot classifiedAdditional information2 Based on available data, the classification criteria are not metReproductive toxicityNot classifiedAdditional information2 Based on available data, the classification criteria are not metReproductive toxicityNot classifiedAdditional information2 Based on available data, the classification criteria are not met	LD50 oral	1400 mg/kg bodyweight
LD50 dermal 2650 mg/kg bodyweight LD60 oral 2790 mg/kg bodyweight GERANIOL (106-24-1) LD50 oral 3600 mg/kg bodyweight RHODIAROME (121-32-4) LD50 oral 3000 mg/kg bodyweight SALICYLATE AMYLE (2050-08-0) LD50 oral 2000 mg/kg bodyweight SALICYLATE BENZYLE (118-58-1) LD50 oral 2000 mg/kg bodyweight SALICYLATE BENZYLE (118-58-1) LD50 oral 2000 mg/kg bodyweight TRIPLAL (68039-49-6) LD50 oral 3900 mg/kg bodyweight VELTOL PLUS (4940-11-8) LD50 oral 3900 mg/kg bodyweight VERDOX (88-41-5) LD50 oral 1200 mg/kg bodyweight VERDOX (88-41-5) LD50 oral 4600 mg/kg bodyweight Skin corosion/initiation : Causes skin initiation. Respiratory or skin sensitisation : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified Additional information : Based on available data, the classification criteria are not met Carcinogenic	CITRONELLOL (106-22-9)	
LINALOL (78-70-6) LD50 oral 2790 mg/kg bodyweight GERANIOL (106-24-1) LD50 oral 3600 mg/kg bodyweight RHODIAROME (121-32-4) LD50 oral 3000 mg/kg bodyweight SALICYLATE AMYLE (2050-08-0) LD50 oral 2000 mg/kg bodyweight SALICYLATE BENZYLE (118-58-1) LD50 oral 2200 mg/kg bodyweight TRIPLAL (68039-49-6) LD50 oral 3900 mg/kg bodyweight VELTOL PLUS (4940-11-8) LD50 oral 3900 mg/kg bodyweight VELTOL PLUS (4940-11-8) LD50 oral 1200 mg/kg bodyweight VERDOX (88-41-5) LD50 oral 4600 mg/kg bodyweight VERDOX (88-41-5) LD50 oral 5200 mg/kg bodyweight VERDOX (88-41-5) LD50 oral 5200 mg/kg bodyweight CERDOX (88-41-5) LD50 oral 5200 mg	LD50 oral	3450 mg/kg bodyweight
LD50 oral 2790 mg/kg bodyweight GERANIOL (106-24-1) 3600 mg/kg bodyweight RHODIAROME (121-32-4) 3000 mg/kg bodyweight SALICYLATE AMYLE (2050-08-0) 3000 mg/kg bodyweight SALICYLATE BENZYLE (118-58-1) LD50 oral LD50 oral 2000 mg/kg bodyweight SALICYLATE BENZYLE (118-58-1) LD50 oral LD50 oral 2000 mg/kg bodyweight SALICYLATE BENZYLE (118-58-1) LD50 oral LD50 oral 2200 mg/kg bodyweight TRIPLAL (68039-49-6) LD50 oral LD50 oral 3900 mg/kg bodyweight VELTOL PLUS (4940-11-8) LD50 oral LD50 oral 1200 mg/kg bodyweight VERDOX (88-41-5) LD50 oral LD50 oral 4600 mg/kg bodyweight Skin corrosion/irritation : Causes skin irritation. Serious eye damage/irritation : Causes serious eye irritation. Respiratory or skin sensitisation : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified Additional information : Based on available data, the classification criteria are not met Carcinogenicity : Not classified Additional in	LD50 dermal	2650 mg/kg bodyweight
GERANIOL (106-24-1) LD50 oral 3600 mg/kg bodyweight RHODIAROME (121-32-4) LD50 oral 3000 mg/kg bodyweight SALICYLATE AMYLE (2050-08-0) LD50 oral 2000 mg/kg bodyweight SALICYLATE BENZYLE (118-58-1) LD50 oral 2200 mg/kg bodyweight TRIPLAL (68039-49-6) LD50 oral 3900 mg/kg bodyweight VELTOL PLUS (4940-11-8) LD50 oral 1200 mg/kg bodyweight VELTOL PLUS (4940-11-8) LD50 oral 1200 mg/kg bodyweight VERDOX (88-41-5) LD50 oral 4600 mg/kg bodyweight Skin corrosion/irritation : Causes skin irritation. Serious sey ed mange/irritation : Causes skin irritation. Serious sey ed mange/irritation : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified Additional information : Based on available data, the classification criteria are not met Carinogenicity : Not classified Additional information : Based on available data, the classification criteria are not met Carinogenicity : Not classified Additional information : Based on av	LINALOL (78-70-6)	
LD50 oral 3600 mg/kg bodyweight RHODIAROME (121-32-4)	LD50 oral	2790 mg/kg bodyweight
RHODIAROME (121-32-4) LD50 oral 3000 mg/kg bodyweight SALICYLATE AMYLE (2050-08-0) LD50 oral 2000 mg/kg bodyweight SALICYLATE BENZYLE (118-58-1) LD50 oral 2200 mg/kg bodyweight SALICYLATE BENZYLE (118-58-1) LD50 oral 2200 mg/kg bodyweight TRIPLAL (68039-49-6) LD50 oral 3900 mg/kg bodyweight VELTOL PLUS (4940-11-8) LD50 oral 1200 mg/kg bodyweight VERDOX (88-41-5) LD50 oral 4600 mg/kg bodyweight VERDOX (88-41-5) LD50 oral 4600 mg/kg bodyweight Skin corrosion/irritation : Causes skin irritation. Serious eye damage/irritation : Causes serious eye irritation. Germ cell mutagenicity : Not classified Additional information : Based on available data, the classification criteria are not met Carcinogenicity : Not classified Additional information : Based on available data, the classification criteria are not met Reproductive toxicity : Not classified Additional information : Based on available data, the classification criteria are not met	GERANIOL (106-24-1)	
LD50 oral 3000 mg/kg bodyweight SALICYLATE AMYLE (2050-08-0) LD50 oral 2000 mg/kg bodyweight SALICYLATE BENZYLE (118-58-1) LD50 oral 2200 mg/kg bodyweight TRIPLAL (68039-49-6) LD50 oral 3900 mg/kg bodyweight VELTOL PLUS (4940-11-8) LD50 oral 1200 mg/kg bodyweight VELTOL PLUS (4940-11-8) LD50 oral 1200 mg/kg bodyweight VERDOX (88-41-5) LD50 oral 4600 mg/kg bodyweight Skin corrosion/irritation Causes skin irritation. Serious eye damage/irritation Causes serious eye irritation. Germ cell mutagenicity Not classified Additional information Based on available data, the classification criteria are not met Carcinogenicity Not classified Additional information Based on available data, the classification criteria are not met Carcinogenicity Not classified Additional information Based on available data, the classification criteria are not met Reproductive toxicity Not classified Additional information Based on available data, the classification criteria are not met Carcinoge	LD50 oral	3600 mg/kg bodyweight
SALICYLATE AMYLE (2050-08-0) LD50 oral 2000 mg/kg bodyweight SALICYLATE BENZYLE (118-58-1) LD50 oral 2200 mg/kg bodyweight TRIPLAL (68039-49-6) LD50 oral 3900 mg/kg bodyweight VELTOL PLUS (4940-11-8) LD50 oral 1200 mg/kg bodyweight VELTOL PLUS (4940-11-8) LD50 oral 4600 mg/kg bodyweight VERDOX (88-41-5) LD50 oral 4600 mg/kg bodyweight Skin corrosion/irritation : Causes skin irritation. Serious eye damage/irritation : Causes skin irritation. Respiratory or skin sensitisation : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified Additional information : Based on available data, the classification criteria are not met Carcinogenicity : Not classified Additional information : Based on available data, the classification criteria are not met Reproductive toxicity : Not classified Additional information : Based on available data, the classification criteria are not met Reproductive toxicity : Not classified Additional information : Based on available data, the classification crit	RHODIAROME (121-32-4)	
LD50 oral 2000 mg/kg bodyweight SALICYLATE BENZYLE (118-58-1) LD50 oral 2200 mg/kg bodyweight TRIPLAL (68039-49-6) LD50 oral 3900 mg/kg bodyweight VELTOL PLUS (4940-11-8) LD50 oral 1200 mg/kg bodyweight VELTOL PLUS (4940-11-8) LD50 oral 1200 mg/kg bodyweight VERDOX (88-41-5) LD50 oral 4600 mg/kg bodyweight Skin corrosion/irritation : Causes skin irritation. Serious eye damage/irritation : Causes skin irritation. Respiratory or skin sensitisation : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified Additional information : Based on available data, the classification criteria are not met Carcinogenicity : Not classified Additional information : Based on available data, the classification criteria are not met Reproductive toxicity : Not classified Additional information : Based on available data, the classification criteria are not met	LD50 oral	3000 mg/kg bodyweight
SALICYLATE BENZYLE (118-58-1) LD50 oral 2200 mg/kg bodyweight TRIPLAL (68039-49-6) LD50 oral 3900 mg/kg bodyweight VELTOL PLUS (4940-11-8) LD50 oral 1200 mg/kg bodyweight VERDOX (88-41-5) LD50 oral 4600 mg/kg bodyweight VERDOX (88-41-5) LD50 oral 200 mg/kg bodyweight Verector (100 mg/kg bodyweight) Skin corrosion/irritation : Causes skin irritation. Serious eye damage/irritation : Causes serious eye irritation. Respiratory or skin sensitisation : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified Additional information : Based on available data, the classification criteria are not met Carcinogenicity : Not classified Additional information : Based on available data, the classification criteria are not met Reproductive toxicity : Not classified Additional information : Based on available data, the classification criteria are not met	SALICYLATE AMYLE (2050-08-0)	
LD50 oral 2200 mg/kg bodyweight TRIPLAL (68039-49-6) Image: Second S	LD50 oral	2000 mg/kg bodyweight
TRIPLAL (68039-49-6) LD50 oral 3900 mg/kg bodyweight VELTOL PLUS (4940-11-8) LD50 oral 1200 mg/kg bodyweight VERDOX (88-41-5) LD50 oral 4600 mg/kg bodyweight Skin corrosion/irritation : Causes skin irritation. Serious eye damage/irritation : Causes serious eye irritation. Serious eye damage/irritation : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified Additional information : Based on available data, the classification criteria are not met Carcinogenicity : Not classified Additional information : Based on available data, the classification criteria are not met Reproductive toxicity : Not classified Additional information : Based on available data, the classification criteria are not met	SALICYLATE BENZYLE (118-58-1)	
LD50 oral3900 mg/kg bodyweightVELTOL PLUS (4940-11-8)LD50 oral1200 mg/kg bodyweightVERDOX (88-41-5)LD50 oral4600 mg/kg bodyweightSkin corrosion/irritation: Causes skin irritation.Serious eye damage/irritation: Causes serious eye irritation.Serious eye damage/irritation: Causes serious eye irritation.Germ cell mutagenicity: Not classifiedAdditional information: Based on available data, the classification criteria are not metCarcinogenicity: Not classifiedAdditional information: Based on available data, the classification criteria are not metReproductive toxicity: Not classifiedAdditional information: Based on available data, the classification criteria are not metReproductive toxicity: Not classifiedAdditional information: Based on available data, the classification criteria are not metReproductive toxicity: Not classifiedAdditional information: Based on available data, the classification criteria are not met	LD50 oral	2200 mg/kg bodyweight
VELTOL PLUS (4940-11-8) LD50 oral 1200 mg/kg bodyweight VERDOX (88-41-5) LD50 oral 4600 mg/kg bodyweight Skin corrosion/irritation : Causes skin irritation. Serious eye damage/irritation : Causes serious eye irritation. Serious eye damage/irritation : Causes serious eye irritation. Germ cell mutagenicity : Not classified Additional information : Based on available data, the classification criteria are not met Carcinogenicity : Not classified Additional information : Based on available data, the classification criteria are not met Reproductive toxicity : Not classified Additional information : Based on available data, the classification criteria are not met Reproductive toxicity : Not classified Additional information : Based on available data, the classification criteria are not met	TRIPLAL (68039-49-6)	
LD50 oral1200 mg/kg bodyweightVERDOX (88-41-5)LD50 oral4600 mg/kg bodyweightSkin corrosion/irritation: Causes skin irritation.Serious eye damage/irritation: Causes serious eye irritation.Respiratory or skin sensitisation: May cause an allergic skin reaction.Germ cell mutagenicity: Not classifiedAdditional information: Based on available data, the classification criteria are not metCarcinogenicity: Not classifiedAdditional information: Based on available data, the classification criteria are not metReproductive toxicity: Not classifiedAdditional information: Based on available data, the classification criteria are not metReproductive toxicity: Not classifiedAdditional information: Based on available data, the classification criteria are not metReproductive toxicity: Not classifiedAdditional information: Based on available data, the classification criteria are not metReproductive toxicity: Not classifiedAdditional information: Based on available data, the classification criteria are not met	LD50 oral	3900 mg/kg bodyweight
VERDOX (88-41-5) LD50 oral 4600 mg/kg bodyweight Skin corrosion/irritation : Causes skin irritation. Serious eye damage/irritation : Causes serious eye irritation. Serious eye damage/irritation : Causes serious eye irritation. Respiratory or skin sensitisation : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified Additional information : Based on available data, the classification criteria are not met Carcinogenicity : Not classified Additional information : Based on available data, the classification criteria are not met Reproductive toxicity : Not classified Additional information : Based on available data, the classification criteria are not met Reproductive toxicity : Not classified Additional information : Based on available data, the classification criteria are not met	VELTOL PLUS (4940-11-8)	
LD50 oral4600 mg/kg bodyweightSkin corrosion/irritation: Causes skin irritation.Serious eye damage/irritation: Causes serious eye irritation.Respiratory or skin sensitisation: May cause an allergic skin reaction.Germ cell mutagenicity: Not classifiedAdditional information: Based on available data, the classification criteria are not metCarcinogenicity: Not classifiedAdditional information: Based on available data, the classification criteria are not metReproductive toxicity: Not classifiedAdditional information: Based on available data, the classification criteria are not metReproductive toxicity: Not classifiedAdditional information: Based on available data, the classification criteria are not met	LD50 oral	1200 mg/kg bodyweight
Skin corrosion/irritation:Causes skin irritation.Serious eye damage/irritation:Causes serious eye irritation.Respiratory or skin sensitisation:May cause an allergic skin reaction.Germ cell mutagenicity:Not classifiedAdditional information:Based on available data, the classification criteria are not metCarcinogenicity:Not classifiedAdditional information:Based on available data, the classification criteria are not metReproductive toxicity:Not classifiedAdditional information:Based on available data, the classification criteria are not metReproductive toxicity:Not classifiedAdditional information:Based on available data, the classification criteria are not met	VERDOX (88-41-5)	
Serious eye damage/irritation: Causes serious eye irritation.Respiratory or skin sensitisation: May cause an allergic skin reaction.Germ cell mutagenicity: Not classifiedAdditional information: Based on available data, the classification criteria are not metCarcinogenicity: Not classifiedAdditional information: Based on available data, the classification criteria are not metReproductive toxicity: Not classifiedAdditional information: Based on available data, the classification criteria are not metReproductive toxicity: Not classifiedAdditional information: Based on available data, the classification criteria are not met	LD50 oral	4600 mg/kg bodyweight
Respiratory or skin sensitisation: May cause an allergic skin reaction.Germ cell mutagenicity: Not classifiedAdditional information: Based on available data, the classification criteria are not metCarcinogenicity: Not classifiedAdditional information: Based on available data, the classification criteria are not metCarcinogenicity: Not classifiedAdditional information: Based on available data, the classification criteria are not metReproductive toxicity: Not classifiedAdditional information: Based on available data, the classification criteria are not metAdditional information: Based on available data, the classification criteria are not met		
Germ cell mutagenicity: Not classifiedAdditional information: Based on available data, the classification criteria are not metCarcinogenicity: Not classifiedAdditional information: Based on available data, the classification criteria are not metReproductive toxicity: Not classifiedAdditional information: Based on available data, the classification criteria are not metReproductive toxicity: Not classifiedAdditional information: Based on available data, the classification criteria are not met		
Additional information: Based on available data, the classification criteria are not metCarcinogenicity: Not classifiedAdditional information: Based on available data, the classification criteria are not metReproductive toxicity: Not classifiedAdditional information: Based on available data, the classification criteria are not metReproductive toxicity: Not classifiedAdditional information: Based on available data, the classification criteria are not met		
Carcinogenicity: Not classifiedAdditional information: Based on available data, the classification criteria are not metReproductive toxicity: Not classifiedAdditional information: Based on available data, the classification criteria are not met	5 5	
Additional information: Based on available data, the classification criteria are not metReproductive toxicity: Not classifiedAdditional information: Based on available data, the classification criteria are not met		
Reproductive toxicity: Not classifiedAdditional information: Based on available data, the classification criteria are not met	5,	
Additional information : Based on available data, the classification criteria are not met		
	1 ,	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Additional information	: Based on available data, the classification criteria are not met
STOT-repeated exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified
Additional information	: Based on available data, the classification criteria are not met
LIMONENE DROIT (+100) (5989-27-5)	
Viscosity, kinematic	1.3 mm ² /s
11.2. Information on other hazards	
11.2.1. Endocrine disrupting properties	

No additional information available

11.2.2. Other information

Potential adverse human health effects and : Based on available data, the classification criteria are not met symptoms

SECTION 12: Ecological information		
12.1. Toxicity		
Hazardous to the aquatic environment, short-term : (acute)	Toxic to aquatic life with long lasting effects. Not classified Toxic to aquatic life with long lasting effects.	
12.2. Persistence and degradability		
Peach Smoothie		
Persistence and degradability	May cause long-term adverse effects in the environment.	
ACETYL EUGENOL (93-28-7)		
Persistence and degradability	Not established.	
ALDEHYDE C14 (104-67-6)		
Persistence and degradability	May cause long-term adverse effects in the environment.	
BUTYRATE DMBC (10094-34-5)		
Persistence and degradability	May cause long-term adverse effects in the environment.	
CARYOPHYLLENE (87-44-5)		
Persistence and degradability	Not established.	
LIMONENE DROIT (+100) (5989-27-5)		
Persistence and degradability	May cause long-term adverse effects in the environment.	
LINALOL (78-70-6)		
Persistence and degradability	Not established.	
METHYLIONONE GAMMA (127-51-5)		
Persistence and degradability	May cause long-term adverse effects in the environment.	
PINENE BETA (127-91-3)		
Persistence and degradability	May cause long-term adverse effects in the environment.	

Safety Data Sheet

SALICYLATE AMYLE (2050-08-0)	
Persistence and degradability	May cause long-term adverse effects in the environment.
SALICYLATE BENZYLE (118-58-1)	
Persistence and degradability	May cause long-term adverse effects in the environment.
SALICYLATE HEXYLE (6259-76-3)	
Persistence and degradability	May cause long-term adverse effects in the environment.
VELTOL PLUS (4940-11-8)	
Persistence and degradability	Not established.
12.3. Bioaccumulative potential	
Peach Smoothie	
Bioaccumulative potential	Not established.
ACETYL EUGENOL (93-28-7)	
Bioaccumulative potential	Not established.
ALDEHYDE C14 (104-67-6)	
Bioaccumulative potential	Not established.
BUTYRATE DMBC (10094-34-5)	
Bioaccumulative potential	Not established.
CARYOPHYLLENE (87-44-5)	
Bioaccumulative potential	Not established.
LIMONENE DROIT (+100) (5989-27-5)	
Partition coefficient n-octanol/water (Log Pow)	4.57
Bioaccumulative potential	Not established.
LINALOL (78-70-6)	
Bioaccumulative potential	Not established.
METHYLIONONE GAMMA (127-51-5)	
Bioaccumulative potential	Not established.
PINENE BETA (127-91-3)	
Bioaccumulative potential	Not established.
SALICYLATE AMYLE (2050-08-0)	
Bioaccumulative potential	Not established.
SALICYLATE BENZYLE (118-58-1)	
Bioaccumulative potential	Not established.
SALICYLATE HEXYLE (6259-76-3)	
Bioaccumulative potential	Not established.
VELTOL PLUS (4940-11-8)	
Bioaccumulative potential	Not established.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.4. Mobility in soil		
No additional information available		
12.5. Results of PBT and vPvB assessment		
No additional information available		
12.6. Endocrine disrupting properties		
No additional information available		
12.7. Other adverse effects		
Additional information	: Avoid release to the environment.	

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Product/Packaging disposal recommendations	Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Ecology - waste materials	: Avoid release to the environment.

SECTION 14: Transport information		
In accordance with ADR / IMDG / IATA / ADN / RID		
14.1. UN number or ID number		
UN-No. (ADR) UN-No. (IMDG) UN-No. (IATA) UN-No. (ADN) UN-No. (RID)	 UN 3082 UN 3082 UN 3082 UN 3082 UN 3082 UN 3082 	
14.2. UN proper shipping name		
Proper Shipping Name (ADR) Proper Shipping Name (IMDG) Proper Shipping Name (IATA) Proper Shipping Name (ADN) Proper Shipping Name (RID) Transport document description (ADR) Transport document description (IMDG) Transport document description (IATA) Transport document description (ADN) Transport document description (RID)	 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (SALICYLATE HEXYLE), 9, III, (-) UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III, MARINE POLLUTANT UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III 	
14.3. Transport hazard class(es)		
ADR Transport hazard class(es) (ADR) Danger labels (ADR)	: 9 : 9 : •	


IMDG

Transport hazard class(es) (IMDG)

: 9

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878





IATA Transport ha

Transport hazard class(es) (IATA) Danger labels (IATA)

Transport hazard class(es) (ADN)

Danger labels (ADN)





:9 :9

RID

ADN

Transport hazard class(es) (RID) Danger labels (RID)

14.4. Packing group	
Packing group (ADR) Packing group (IMDG)	: III : III
Packing group (IATA) Packing group (ADN)	: III : III
Packing group (RID)	: 111
14.5. Environmental hazards	
Dangerous for the environment Marine pollutant Other information	: Yes : Yes : No supplementary information available
14.6. Special precautions for user	
Overland transport	
Classification code (ADR)	: M6
Special provisions (ADR)	: 274, 335, 375, 601
Limited quantities (ADR)	: 51
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC03, LP01, R001 : PP1
Special packing provisions (ADR) Mixed packing provisions (ADR)	- PPT : MP19
Portable tank and bulk container instructions (ADR)	
Portable tank and bulk container special provisions (ADR)	: TP1, TP29

Vehicle for tank carriage

Transport category (ADR)

Special provisions for carriage - Packages (ADR)

: AT

: V12

: 3

Safety Data Sheet

Special provisions for carriage - Loading, unloading and handling (ADR)	:	CV13
Hazard identification number (Kemler No.)	:	90
Orange plates	:	90
		70
		3082
Tunnel restriction code (ADR)	:	-
EAC code	:	•3Z
Transport by sea		
Special provisions (IMDG)	:	274, 335, 969
Limited quantities (IMDG)	:	5 L
Excepted quantities (IMDG)	:	E1
Packing instructions (IMDG)		LP01, P001
Special packing provisions (IMDG)		PP1
IBC packing instructions (IMDG)		IBC03
Tank instructions (IMDG)	:	
Tank special provisions (IMDG)		TP1, TP29
EmS-No. (Fire)		F-A S-F
EmS-No. (Spillage) Stowage category (IMDG)		A
Stowage category (IMDO)	•	~
Air transport		
PCA Excepted quantities (IATA)		E1
PCA Limited quantities (IATA)		Y964
PCA limited quantity max net quantity (IATA)		30kgG
PCA packing instructions (IATA)		964
PCA max net quantity (IATA)	÷	450L
CAO packing instructions (IATA) CAO max net quantity (IATA)	:	964 450L
Special provisions (IATA)		A97, A158, A197, A215
ERG code (IATA)		9L
Inland waterway transport		M6
Classification code (ADN) Special provisions (ADN)		274, 335, 375, 601
Limited quantities (ADN)		5 L
Excepted quantities (ADN)		E1
Carriage permitted (ADN)		T
Equipment required (ADN)	:	PP
Number of blue cones/lights (ADN)	:	0
- - - - - - - - - -		
Rail transport Classification code (RID)		M6
Special provisions (RID)		274, 335, 375, 601
Limited quantities (RID)		5L
Excepted quantities (RID)		E1
Packing instructions (RID)		P001, IBC03, LP01, R001
Special packing provisions (RID)	:	PP1
Mixed packing provisions (RID)	:	MP19
Portable tank and bulk container instructions (RID)	:	T4
Portable tank and bulk container special provisions (RID)	:	TP1, TP29
Tank codes for RID tanks (RID)	:	LGBV
Transport category (RID)	:	3
Special provisions for carriage – Packages (RID)		W12
Special provisions for carriage - Loading, unloading and handling (RID)	:	CW13, CW31
Colis express (express parcels) (RID)		CE8
Hazard identification number (RID)		90
	•	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

France

Occupational diseases		
Code	Description	
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide	

Germany

Employment restrictions Water hazard class (WGK) Hazardous Incident Ordinance (12. BImSchV)	 Observe restrictions according Act on the Protection of Working Mothers (MuSchG). Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG). WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1). Is not subject of the Hazardous Incident Ordinance (12. BImSchV)
Netherlands SZW-lijst van kankerverwekkende stoffen SZW-lijst van mutagene stoffen	: TRIPLAL is listed : TRIPLAL is listed
SZW-lijst van reprotoxische stoffen – Borstvoeding SZW-lijst van reprotoxische stoffen – Vruchtbaarheid SZW-lijst van reprotoxische stoffen – Ontwikkeling	 None of the components are listed None of the components are listed None of the components are listed
Denmark Class for fire hazard	: Class III-1

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Store unit	: 50 liter
Classification remarks	: Flammable according to the Danish Ministry of Justice; Emergency management guidelines for the storage of flammable liquids must be followed
Danish National Regulations	: Young people below the age of 18 years are not allowed to use the product
Switzerland	
Storage class (LK)	: LK 10/12 - Liquids
15.2. Chemical safety assessment	

No chemical safety assessment has been carried out

SECTION 16: Other information	
Data sources	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
Other information	: None.
Full taxt of H and FUH statements:	

Full text of H- and EUH-statements:		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
H226	Flammable liquid and vapour.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1A	Skin sensitisation, category 1A	
Skin Sens. 1B	Skin sensitisation, category 1B	

Safety Data Sheet (SDS), EU

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.