

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 29/04/2025 - Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Trade name	: Peach mango bellini
UFI	: 9MYK-N5T0-500K-UN9E
Product code	: -
Product group	: Perfume concentrate

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec

: Industrial For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Candle Fragrance Supply 201 Marvel Road 21801 SALISBURY USA (443) 206-8406 contact@candlefragrancesupply.com, www.candlefragrancesupply.com

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4	H302
Skin corrosion/irritation, Category 2	H315
Skin sensitisation, Category 1	H317
Hazardous to the aquatic environment – Acute Hazard,	H400
Category 1	
Hazardous to the aquatic environment – Chronic Hazard,	H411
Category 2	
Full text of H- and EUH-statements: see section 16	

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) :



Signal word (CLP)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Contains	Iinalool; 3,7-dimethyl-1,6-octadien-3-ol; dl-linalool; (R)-p-mentha-1,8-diene; d-limonene; HEPTANOATE ALLYLE; PINENE BETA; CITRONELLOL; ACETATE LINALYLE; ACETATE PTBCH; ACETATE GERANYLE; DAMASCONE ALPHA; CYCLOHEXYL PROPIONATE ALLYLE; ALDEHYDE CYCLAMEN; ALDEHYDE ALPHA METHYL CINNAMIQUE; VELTOL PLUS; ALDEHYDE CINNAMIQUE; ISO E SUPER; CANTHOXAL; MUSCENONE; benzyl benzoate
Hazard statements (CLP)	 H302 - Harmful if swallowed. H315 - Causes skin irritation. H317 - May cause an allergic skin reaction. H410 - Very toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	 P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash hands, forearms and face thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P272 - Contaminated work clothing should not be allowed out of the workplace. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P301+P312 - IF SWALLOWED: Call a POISON CENTRE or doctor if you feel unwell. P302+P352 - IF ON SKIN: Wash with plenty of water. P321 - Specific treatment (see supplemental first aid instruction on this label). P330 - Rinse mouth. P332+P313 - If skin irritation occurs: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse. P391 - Collect spillage. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	51.4	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
ALDEHYDE C14	CAS-No.: 104-67-6 EC-No.: 203-225-4 REACH-no: 01-2119959333- 34-XXXX	8.25	Aquatic Chronic 3, H412
VERDOX	CAS-No.: 88-41-5 EC-No.: 201-828-7 REACH-no: 01-2119970713- 33-0005	5.5	Aquatic Chronic 2, H411

Safety Data Sheet

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ACETATE PTBCH	CAS-No.: 32210-23-4 EC-No.: 250-954-9 REACH-no: 01-2119976286- 24-XXXX	5.1	Skin Sens. 1B, H317
ALDEHYDE CYCLAMEN	CAS-No.: 103-95-7 EC-No.: 203-161-7 REACH-no: 01-2119970582- 32-0000	3.3	Aquatic Chronic 3, H412 Skin Irrit. 2, H315 Skin Sens. 1B, H317
LINALOL	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016- 42-0000	2.851999617	Eye Irrit. 2, H319 Skin Irrit. 2, H315 Skin Sens. 1B, H317
ACETATE GERANYLE	CAS-No.: 105-87-3 EC-No.: 203-341-5 REACH-no: 01-2119973480- 35	2.65	Skin Sens. 1B, H317 Skin Irrit. 2, H315 Aquatic Chronic 3, H412
VELTOL PLUS	CAS-No.: 4940-11-8 EC-No.: 225-582-5	2.6	Acute Tox. 4 (Oral), H302
HEPTANOATE ALLYLE	CAS-No.: 142-19-8 EC-No.: 205-527-1 REACH-no: 01-2119488961- 23-0000	2.1	Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Oral), H301 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
CYCLOHEXYL PROPIONATE ALLYLE	CAS-No.: 2705-87-5 EC-No.: 220-292-5 REACH-no: 01-2119976355- 27/	1.9	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
ACETATE LINALYLE	CAS-No.: 115-95-7 EC-No.: 204-116-4 REACH-no: 01-2119454789- 19-0001	1.8	Eye Irrit. 2, H319 Skin Irrit. 2, H315 Skin Sens. 1B, H317
ISO E SUPER	CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989- 04-XXXX	0.9	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411
CITRONELLOL	CAS-No.: 106-22-9 EC-No.: 203-375-0 REACH-no: 01-2119453995- 23-0000	0.76900345	Eye Irrit. 2, H319 Skin Irrit. 2, H315 Skin Sens. 1B, H317
CANTHOXAL	CAS-No.: 5462-06-6 EC-No.: 226-749-5	0.5	Skin Sens. 1B, H317
LIMONENE DROIT (+100)	CAS-No.: 5989-27-5 EC-No.: 227-813-5 EC Index-No.: 601-096-00-2 REACH-no: 01-2119529223- 47-0007	0.37638	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
UNDECAVERTOL	CAS-No.: 81782-77-6 EC-No.: 279-815-0 REACH-no: 01-2119983528- 21-0000	0.25	Aquatic Acute 1, H400 Aquatic Chronic 2, H411
DAMASCONE ALPHA	CAS-No.: 24720-09-0 EC-No.: 246-430-4	0.25	Acute Tox. 4 (Oral), H302 Aquatic Chronic 2, H411 Skin Sens. 1B, H317
PINENE BETA	CAS-No.: 127-91-3 EC-No.: 204-872-5 REACH-no: 01-2119519230- 54-0000	0.115	Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317
ALDEHYDE ALPHA METHYL CINNAMIQUE	CAS-No.: 101-39-3 EC-No.: 202-938-8	0.1	Skin Sens. 1B, H317
ALDEHYDE CINNAMIQUE	CAS-No.: 104-55-2 EC-No.: 203-213-9 REACH-no: 01-2119935242- 45	0.1	Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1A, H317 Aquatic Chronic 3, H412
MUSCENONE	CAS-No.: 82356-51-2 EC-No.: 429-900-5 EC Index-No.: 606-119-00-X REACH-no: 01-0000017618- 62	0.1	Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 3, H412

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Wash with plenty of water/ Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention. Specific treatment (see supplemental first aid instruction on this label). If skin irritation or rash occurs:
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a POISON CENTER/doctor if you feel unwell.
4.2. Most important symptoms and e	ffects, both acute and delayed
Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after ingestion	 May cause an allergic skin reaction. Causes skin irritation. Swallowing a small quantity of this material will result in serious health hazard.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 5: Firefighting measures	3	
5.1. Extinguishing media		
Suitable extinguishing media Unsuitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand. : Do not use a heavy water stream.	
5.2. Special hazards arising from the s	substance or mixture	
No additional information available		
5.3. Advice for firefighters		
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.	
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.	
SECTION 6: Accidental release me	easures equipment and emergency procedures	
6.1.1. For non-emergency personnel		
Emergency procedures	: Evacuate unnecessary personnel.	
6.1.2. For emergency responders Protective equipment Emergency procedures	: Equip cleanup crew with proper protection. : Ventilate area.	
6.2. Environmental precautions		
Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.		
6.3. Methods and material for containment and cleaning up		

Methods for cleaning up

: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid breathing dust/fume/gas/mist/vapours/spray.		
Hygiene measures	: Do not eat, drink or smoke when using this product. Wash hands, forearms and face thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.		
7.2. Conditions for safe storage, including any incompatibilities			
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.		
Incompatible products	: Strong bases. Strong acids.		
Incompatible materials	: Sources of ignition. Direct sunlight.		
Maximum storage period	: 12 months		
Switzerland			
Storage class (LK)	: LK 10/12 - Liquids		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection: Chemical goggles or safety glasses

8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection: Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection: Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Other information:

Do not eat, drink or smoke during use.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties Physical state : Liquid Colour : Yellow. Odour : Fruity. Odour fineshold : Not available Melting point : Not available Freezing point : Not available Boiling point : Not available Freezing point : Not available Freezing point : Not available Freezing point : Not available Flammability : Not available Upper explosion limit : Not available Plant Auto- ignition temperature : Not available Decomposition temperature : Not available Pd : Not available Solubility : Al cohol. Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Pensity : Not available Partition coefficient n-octanol/water (Log Kow) : Not available Oupput pressure at 50°C : Not available Density : Not available Partition coefficient n-octanol/water (Log Ko				
Physical state : Liquid Colour : Yellow. Odour : Fruity. Odour threshold : Not available Metling point : Not available Freezing point : Not available Boiling point : Not available Freezing point : Not available Boiling point : Not available Islammability : Not available Lower explosion limit : Not available Lower explosion limit : Not available Lash point : : Soft available Piet : Not available : Port available : Not available : Vacorignition temperature : Not available : Vacorignition temperature : Not available : Vacorignition coefficient n-octanol/water (Log Kow) : Not available : Vapour pressure : Not available : Relative density : 1.034 (1.029 - 1.039)	SECTION 9: Physical and chemical properties			
Colour Yellow. Odour Fruity. Odour freshold Not available Melting point Not available Freezing point Not available Soling point Not available Ferezing point Not available Freezing point Not available Ferezing point Not available Flammability Non flammable. Lower explosion limit Not available Lower explosion limit Not available Flash point 96 °C Auto-ignition temperature Not available Pd Not available Viscosity, kinematic Not available Viscosity, kinematic Not available Vapour pressure at 50°C Not available Vapour pressure at 50°C Not available Partition coefficient n-octanol/water (Log Kow) Not available Partitie vapour density at 20°C Not available Partitie characteristics Not available Partice characteristics Not available Partice characteristics Not available Partice characteristics Not available <th>9.1. Information on basic physical and ch</th> <th>emical properties</th>	9.1. Information on basic physical and ch	emical properties		
Odour : Fruity. Odour threshold : Not available Melting point : Not available Freezing point : Not available Boiling point : Not available Boiling point : Not available Couver explosion limit : Not available Lower explosion limit : Not available Lower explosion limit : Not available Lower explosion limit : Not available Decomposition temperature : Not available Decomposition temperature : Not available Decomposition temperature : Not available Solubility : Not available PH : Not available Solubility : Not available Solubility : Not available Vapour pressure at 50°C : Not available Vapour pressure at 50°C : Not available Density : Not available Particie characteristics <td:< td=""> : Not availa</td:<>		•		
Odur threshold: Not availableMelting point: Not availableFreezing point: Not availableFreezing point: Not availableBoiling point: Not availableFlammability: Not availableLower explosion limit: Not availableUpper explosion limit: Not availableUscosity, kinematic: Not availableViscosity, kinematic: Not availableSolubility: Alcohol.Partition coefficient n-octanol/water (Log Kow): Not availableVapour pressure at 50°C: Not availableVapour pressure at 50°C: Not availableDensity: Not availableParticle characteristics: Not available9.2. Other information: Not available9.2. Other information: Not available9.2.2. Other safety characteristics: Not available <tr <td="">9.2.2. Oth</tr>				
Melting point:Not availableFreezing point:Not availableBoiling point:Not availableBoiling point:Not frammable.Lower explosion limit:Not availableLower explosion limit:Not availableLower explosion limit:Not availableLower explosion limit:Not availableAuto-ignition temperature:Not availableDecomposition temperature:Not availableDecomposition temperature:Not availableViscosity, kinematic:Not availableSolubility:Alcohol.Partition coefficient n-octanol/water (Log Kow):Not availableVapour pressure at 50°C:Not availableDensity:Not availablePartition coefficient n-octanol/water (Log Kow):Not availableVapour pressure at 50°C:Not availableDensity:Not availablePartition coefficient n-octanol/water (Log Kow):Not availablePartice characteristics:Not availablePartice characteristics:Not availablePartice characteristics:Not available </td <td></td> <td>5</td>		5		
Freezing point i Not available Boiling point i Not available Flammability i Not available Lower explosion limit i Not available Upper explosion limit i Not available Flash point i 96 °C Auto-lignition temperature i Not available Decomposition temperature i Not available Viscosity, kinematic i Not available Viscosity, kinematic i Not available Vapour pressure i Not available Vapour pressure at 50°C i Not available Vapour pressure at 50°C i Not available Relative vapour density at 20°C i Not available Relative vapour density at 20°C i Not available Particle characteristics i Not available Statistic i Not available Particle characteristics i Not available Particle characteristics i Not available Statistic i Not available Particl	Odour threshold			
Boiling point i Not available Flammability i Non flammable. Lower explosion limit i Not available Upper explosion limit i Not available Upper explosion limit i 96° C Auto-ignition temperature i Not available Decomposition temperature i Not available Decomposition temperature i Not available Viscosity, kinematic i Not available Viscosity, kinematic i Not available Viscosity, kinematic i Not available Vapour pressure i Not available Vapour pressure i Not available Density i Not available Density i Not available Particle characteristics i Not available	Melting point			
Flammability : Non flammable. Lower explosion limit : Not available Upper explosion limit : Not available Flash point : 96 °C Auto-ignition temperature : Not available Decomposition temperature : Not available Decomposition temperature : Not available Viscosity, kinematic : Not available Viscosity, kinematic : Not available Solubility : Alcohol. Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50°C : Not available Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure at 50°C : Not available Relative density : 1.034 (1.029 – 1.039) Relative vapour density at 20°C : Not available Particle characteristics : Not available 9.2. Other information : Not available 9.2.1. Information with regard to physical hazard : Not available Not available : Not available Particle characteristics : Not available 9.2. Other information <td< td=""><td>Freezing point</td><td>: Not available</td></td<>	Freezing point	: Not available		
Lower explosion limit : Not available Upper explosion limit : Not available Flash point : 96 °C Auto-ignition temperature : Not available Decomposition temperature : Not available Decomposition temperature : Not available Viscosity, kinematic : Not available Viscosity, kinematic : Not available Solubility : Alcohol. Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50°C : Not available Density : Not available Relative density : 1.034 (1.029 – 1.039) Relative apour density at 20°C : Not available Particle characteristics : Not applicable 9.2.0 ther information 9.2.1. Information with regard to physical hazard classes No additional information available States Solubility : Alcohol. 9.2.2. Other safety characteristics : Not available	÷.			
Upper explosion limit: Not availableFlash point: 96 °CAuto-ignition temperature: Not availableDecomposition temperature: Not availableDecomposition temperature: Not availableViscosity, kinematic: Not availableViscosity, kinematic: Not availableSolubility: Alcohol.Partition coefficient n-octanol/water (Log Kow): Not availableVapour pressure: Not availableVapour pressure at 50°C: Not availableDensity: Not availableRelative density: 1.034 (1.029 – 1.039)Relative vapour density at 20°C: Not availableParticle characteristics: Not applicable 9.2. Other information : Not applicableSector Sector Sect	Flammability	: Non flammable.		
Flash point:96 °CAuto-ignition temperature:Not availableDecomposition temperature:Not availablepH:Not availableViscosity, kinematic:Not availableSolubility:Alcohol.Partition coefficient n-octanol/water (Log Kow):Not availableVapour pressure:Not availableVapour pressure at 50°C:Not availableDensity:Not availableRelative density:1.034 (1.029 – 1.039)Relative vapour density at 20°C:Not availableParticle characteristics:Not available 9.2.0 ther information :Not availableSolubility9.2.1. Information availableSolutional info	•			
Auto-gnition temperature : Not available Decomposition temperature : Not available pH : Not available Viscosity, kinematic : Not available Solubility : Alcohol. Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50°C : Not available Partitio density : 1.034 (1.029 – 1.039) Relative vapour density at 20°C : Not available Particle characteristics : Not applicable 9.2. Other information : Not applicable 9.2.1. Information available : Not available 9.2.2. Other safety characteristics : Not applicable	Upper explosion limit			
Decomposition temperature : Not available pH : Not available Viscosity, kinematic : Not available Solubility : Alcohol. Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50°C : Not available Density : Not available Relative density : 1.034 (1.029 – 1.039) Relative vapour density at 20°C : Not available Particle characteristics : Not applicable 9.2. Other information : Not applicable Solubility available : Not applicable 9.2.1. Information available : Not applicable Solubliconal information available : Not applicable <	Flash point	: 96 °C		
pH : Not available Viscosity, kinematic : Not available Solubility : Alcohol. Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50°C : Not available Density : Not available Relative density : Not available Relative vapour density at 20°C : Not available Particle characteristics : Not applicable 9.2. Other information : Not applicable Souditional information available : Not applicable Substitutional information available : Not applicable Substitutional information available : Not available Substitutional information available : Not applicable Substitutional information available : Not available Substitutional information available : Not available Substitional information available : Not avail				
Viscosity, kinematic : Not available Solubility : Alcohol. Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50°C : Not available Density : Not available Relative density : 1.034 (1.029 – 1.039) Relative vapour density at 20°C : Not available Particle characteristics : Not available Particle characteristics : Not available 9.2. Other information 9.2.1. Information with regard to physical hazard classes No additional information available 9.2.2. Other safety characteristics	Decomposition temperature	: Not available		
Solubility : Alcohol. Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50°C : Not available Density : Not available Relative density : 1.034 (1.029 – 1.039) Relative vapour density at 20°C : Not available Particle characteristics : Not applicable 9.2. Other information	рН	: Not available		
Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50°C : Not available Density : Not available Relative density : 1.034 (1.029 – 1.039) Relative vapour density at 20°C : Not available Particle characteristics : Not available 9.2. Other information : Not applicable 9.2.1. Information with regard to physical hazard classes : Not additional information available 9.2.2. Other safety characteristics : Solutional information	Viscosity, kinematic	: Not available		
Vapour pressure: Not availableVapour pressure at 50°C: Not availableDensity: Not availableRelative density: 1.034 (1.029 – 1.039)Relative vapour density at 20°C: Not availableParticle characteristics: Not applicable9.2. Other informationy.2. Other availabley.2. Other safety characteristicsy.2. Other safety characteristics	5	: Alcohol.		
Vapour pressure at 50°C : Not available Density : Not available Relative density : 1.034 (1.029 – 1.039) Relative vapour density at 20°C : Not available Particle characteristics : Not available 9.2. Other information	Partition coefficient n-octanol/water (Log Kow)	: Not available		
Density : Not available Relative density : 1.034 (1.029 – 1.039) Relative vapour density at 20°C : Not available Particle characteristics : Not applicable 9.2. Other information	Vapour pressure	: Not available		
Relative density : 1.034 (1.029 – 1.039) Relative vapour density at 20°C : Not available Particle characteristics : Not applicable 9.2. Other information 9.2.1. Information with regard to physical hazard classes No additional information available 9.2.2. Other safety characteristics	Vapour pressure at 50°C	: Not available		
Relative vapour density at 20°C : Not available Particle characteristics : Not applicable 9.2. Other information 9.2.1. Information with regard to physical hazard classes No additional information available 9.2.2. Other safety characteristics	Density	: Not available		
Particle characteristics Not applicable 9.2. Other information 9.2.1. Information with regard to physical hazard classes No additional information available 9.2.2. Other safety characteristics	5	: 1.034 (1.029 – 1.039)		
9.2. Other information 9.2.1. Information with regard to physical hazard classes No additional information available 9.2.2. Other safety characteristics	Relative vapour density at 20°C	: Not available		
9.2.1. Information with regard to physical hazard classes No additional information available 9.2.2. Other safety characteristics	Particle characteristics	: Not applicable		
No additional information available 9.2.2. Other safety characteristics	9.2. Other information			
9.2.2. Other safety characteristics	9.2.1. Information with regard to physical hazard classes			
	No additional information available			
Refractive index : 1.514 (1.509 – 1.519)	9.2.2. Other safety characteristics			
	Refractive index	: 1.514 (1.509 – 1.519)		

SECTION 10: Stability and reactivity

10.1		

No additional information available

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

Safety Data Sheet

1.1. Information on hazard classes as defined		
	d in Regulation (EC) No 1272/2008	
cute toxicity (dermal) :	Harmful if swallowed. Not classified Not classified	
Peach mango bellini		
ATE CLP (oral)	753.012 mg/kg bodyweight	
LINALOL (78-70-6)		
D50 oral	2790 mg/kg bodyweight	
HEPTANOATE ALLYLE (142-19-8)		
_D50 oral	218 mg/kg bodyweight	
.D50 dermal	810 mg/kg bodyweight	
CITRONELLOL (106-22-9)		
_D50 oral	3450 mg/kg bodyweight	
_D50 dermal	2650 mg/kg bodyweight	
/ERDOX (88-41-5)		
_D50 oral	4600 mg/kg bodyweight	
ACETATE PTBCH (32210-23-4)		
_D50 oral	3370 mg/kg bodyweight	
DAMASCONE ALPHA (24720-09-0)		
_D50 oral	1670 mg/kg bodyweight	
.D50 dermal	2900 mg/kg bodyweight	
CYCLOHEXYL PROPIONATE ALLYLE (2705-8	7-5)	
_D50 oral	380 mg/kg bodyweight	
_D50 dermal	1600 mg/kg bodyweight	
ALDEHYDE CYCLAMEN (103-95-7)		
_D50 oral	3810 mg/kg bodyweight	
ALDEHYDE ALPHA METHYL CINNAMIQUE (1	01-39-3)	
_D50 oral	2050 mg/kg bodyweight	
VELTOL PLUS (4940-11-8)		
_D50 oral	1200 mg/kg bodyweight	
ALDEHYDE CINNAMIQUE (104-55-2)		
_D50 oral	2200 mg/kg bodyweight	
.D50 dermal	1100 mg/kg bodyweight	
CANTHOXAL (5462-06-6)		
LD50 oral	4000 mg/kg bodyweight	
oenzyl benzoate (120-51-4)		
LD50 oral	1160 mg/kg bodyweight	

Safety Data Sheet

Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-single exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-repeated exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified
Additional information	: Based on available data, the classification criteria are not met
LIMONENE DROIT (+100) (5989-27-5)	
Viscosity, kinematic	1.3 mm²/s
11.2. Information on other hazards	
11.2.1. Endocrine disrupting properties	
No additional information available	
11.2.2. Other information	
Potential adverse human health effects and symptoms	: Harmful if swallowed.

SECTION 12: Ecological information	
12.1. Toxicity	
Hazardous to the aquatic environment, short–term : (acute)	Very toxic to aquatic life. Toxic to aquatic life with long lasting effects. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.
12.2. Persistence and degradability	
Peach mango bellini	
Persistence and degradability	May cause long-term adverse effects in the environment.
LINALOL (78-70-6)	
Persistence and degradability	Not established.
LIMONENE DROIT (+100) (5989-27-5)	
Persistence and degradability	May cause long-term adverse effects in the environment.
HEPTANOATE ALLYLE (142-19-8)	
Persistence and degradability	May cause long-term adverse effects in the environment.
PINENE BETA (127-91-3)	
Persistence and degradability	May cause long-term adverse effects in the environment.
CITRONELLOL (106-22-9)	
Persistence and degradability	Rapidly degradable

Safety Data Sheet

ACETATE LINALYLE (115-95-7)		
Persistence and degradability	Not established.	
VERDOX (88-41-5)		
Persistence and degradability	Rapidly degradable	
ACETATE PTBCH (32210-23-4)		
Persistence and degradability	Not established.	
UNDECAVERTOL (81782-77-6)		
Persistence and degradability	Rapidly degradable	
ACETATE GERANYLE (105-87-3)		
Persistence and degradability	May cause long-term adverse effects in the environment.	
DAMASCONE ALPHA (24720-09-0)		
Persistence and degradability	Rapidly degradable	
CYCLOHEXYL PROPIONATE ALLYLE (2705-8	7-5)	
Persistence and degradability	Rapidly degradable	
ALDEHYDE CYCLAMEN (103-95-7)		
Persistence and degradability	May cause long-term adverse effects in the environment.	
ALDEHYDE ALPHA METHYL CINNAMIQUE (1	01-39-3)	
Persistence and degradability	Rapidly degradable	
VELTOL PLUS (4940-11-8)		
Persistence and degradability	Not established.	
ALDEHYDE CINNAMIQUE (104-55-2)		
Persistence and degradability	Rapidly degradable	
ISO E SUPER (54464-57-2)		
Persistence and degradability	May cause long-term adverse effects in the environment.	
CANTHOXAL (5462-06-6)		
Persistence and degradability	Rapidly degradable	
ALDEHYDE C14 (104-67-6)		
Persistence and degradability	May cause long-term adverse effects in the environment.	
MUSCENONE (82356-51-2)		
Persistence and degradability	May cause long-term adverse effects in the environment.	
benzyl benzoate (120-51-4)		
Persistence and degradability	May cause long-term adverse effects in the environment.	
12.3. Bioaccumulative potential		
Peach mango bellini		
- cach ango bonna		
Bioaccumulative potential	Not established.	

Safety Data Sheet

LINALOL (78-70-6)	
Bioaccumulative potential	Not established.
LIMONENE DROIT (+100) (5989-27-5)	
Partition coefficient n-octanol/water (Log Pow)	4.57
Bioaccumulative potential	Not established.
HEPTANOATE ALLYLE (142-19-8)	
Bioaccumulative potential	Not established.
PINENE BETA (127-91-3)	
Bioaccumulative potential	Not established.
ACETATE LINALYLE (115-95-7)	
Bioaccumulative potential	Not established.
ACETATE PTBCH (32210-23-4)	
Bioaccumulative potential	Not established.
ACETATE GERANYLE (105-87-3)	
Bioaccumulative potential	Not established.
ALDEHYDE CYCLAMEN (103-95-7)	
Bioaccumulative potential	Not established.
VELTOL PLUS (4940-11-8)	
Bioaccumulative potential	Not established.
ISO E SUPER (54464-57-2)	
Bioaccumulative potential	Not established.
ALDEHYDE C14 (104-67-6)	
Bioaccumulative potential	Not established.
MUSCENONE (82356-51-2)	
Bioaccumulative potential	Not established.
benzyl benzoate (120-51-4)	
Bioaccumulative potential	Not established.
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Endocrine disrupting properties	
No additional information available	
12.7. Other adverse effects	Avoid releases to the environment
Additional information :	Avoid release to the environment.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Product/Packaging disposal recommendations	Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Ecological information	: Avoid release to the environment.

SECTION 14: Transport information


In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number or ID number	
UN-No. (ADR) UN-No. (IMDG) UN-No. (IATA) UN-No. (ADN) UN-No. (RID)	 : UN 3082
14.2. UN proper shipping name	
Proper Shipping Name (ADR) Proper Shipping Name (IMDG) Proper Shipping Name (IATA) Proper Shipping Name (ADN) Proper Shipping Name (RID) Transport document description (ADR)	 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (benzyl benzoate), 9, III, (-)
Transport document description (IMDG)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III, MARINE POLLUTANT
Transport document description (IATA) Transport document description (ADN) Transport document description (RID)	 UN 3082 Environmentally hazardous substance, liquid, n.o.s., 9, III UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III

14.3. Transport hazard class(es)

ADR


Transport hazard class(es) (ADR) Danger labels (ADR)




IMDG

Transport hazard class(es) (IMDG) Danger labels (IMDG)

IATA Transport hazard class(es) (IATA) Danger labels (IATA)





Safety Data Sheet

ADN Transport hazard class(es) (ADN) Danger labels (ADN)	: 9 : 9
RID Transport hazard class(es) (RID)	: 9
Danger labels (RID)	
	9
14.4. Packing group	
Packing group (ADR) Packing group (IMDG)	: III : III
Packing group (IATA) Packing group (ADN)	
Packing group (RID)	: III
14.5. Environmental hazards	
Dangerous for the environment	: Yes
Marine pollutant	: Yes
Other information	: No supplementary information available
14.6. Special precautions for user	
Overland transport Classification code (ADR)	: M6
Special provisions (ADR)	· 100 · 274, 335, 375, 601
Limited quantities (ADR)	: 51
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC03, LP01, R001
Special packing provisions (ADR) Mixed packing provisions (ADR)	: PP1 : MP19
Portable tank and bulk container instructions (ADR)	
Portable tank and bulk container special provisions	
(ADR)	
Tank code (ADR) Vehicle for tank carriage	: LGBV : AT
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Special provisions for carriage - Loading, unloading	: CV13
and handling (ADR) Hazard identification number (Kemler No.)	: 90
Orange plates	
	<u>90</u> <u>3082</u>
Tunnel restriction code (ADR)	: -
EAC code	: •3Z
Transport by sea	
Special provisions (IMDG)	: 274, 335, 969
Limited quantities (IMDG)	: 5L : E1
Excepted quantities (IMDG) Packing instructions (IMDG)	: E1 : LP01, P001
Special packing provisions (IMDG)	: PP1

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

IBC packing instructions (IMDG) : IBC03 Tank instructions (IMDG) : T4 Tank special provisions (IMDG) : TP1, TP29 EmS-No. (Spillage) : S-F Stowage category (IMDG) : A Air transport : S-F PCA Excepted quantities (IATA) : Y964 PCA limited quantities (IATA) : Y964 PCA acking instructions (IATA) : 964 PCA packing instructions (IATA) : 964 PCA max net quantity (IATA) : 450L Special provisions (IATA) : 964 CAO packing instructions (IATA) : 964 CAO max net quantity (IATA) : 450L Special provisions (IATA) : 964 CAO max net quantity (IATA) : 450L Special provisions (IATA) : 964 Classification code (ADN) : S1 Excepted quantities (ADN) : 9L Immed quantities (ADN) : 5L Excepted quantities (RID) : 1 <		
Tank instructions (IMDG):T4Tank special provisions (IMDG):TP1, TP29EmS-No. (Fire):F-AEmS-No. (Spillage):S-FStowage category (IMDG):AArt transportPCA Excepted quantities (IATA):Y964PCA Limited quantities (IATA):Y964PCA limited quantities (IATA):964PCA max net quantity (IATA):964PCA max net quantity (IATA):964CAO packing instructions (IATA):964CAO max net quantity (IATA):450LCAO max net quantity (IATA):964CAO max net quantity (IATA):964CAO max net quantity (IATA):964Cao max net quantity (IATA):964Special provisions (IATA):964Special provisions (IATA):964Special provisions (IATA):964Cao max net quantities (IADN):1ERG code (IATA):91Imited quantities (ADN):1Excepted quantities (ADN):5Excepted quantities (ADN):1Equipment required (ADN):1Equipment required (ADN):1Equipment required (ADN):0Rial transport:274, 335, 375, 601Classification code (RID):274, 335, 375, 601Limited quantities (RID):2Special provisions (RID):1<	IBC packing instructions (IMDG)	: IBC03
Tank special provisions (IMDG):TP1, TP29EmS-No. (Fire):F-AEmS-No. (Spillage):S-FStowage category (IMDG):AAir transport		: T4
EmS-No. (Fire):F-AEmS-No. (Spillage):S-FStowage category (IMDG):AAir transport:CAPCA Excepted quantities (IATA):Y964PCA Limited quantity max net quantity (IATA):964PCA packing instructions (IATA):964PCA max net quantity (IATA):964PCA max net quantity (IATA):964PCA max net quantity (IATA):964CAO packing instructions (IATA):964CAO max net quantity (IATA):450LSpecial provisions (IATA):964Classification code (ADN):450LSpecial provisions (ADN):274, 335, 375, 601Limited quantities (ADN):5 LExcepted quantities (ADN):5 LExcepted quantities (ADN):7 EEquipment required (ADN):1 FEquipment required (ADN):0Rail transport:274, 335, 375, 601Classification code (RID):2 SLExcepted quantities (RID):2 SLExcepted quantities (RID):5 LExcepted quantities (RID):5 LProtable tank and bulk container instructions (RID) </td <td></td> <td></td>		
EmS-No. (Spillage):S-FStowage category (IMDG):AAir transport:PCA Excepted quantities (IATA):PCA Excepted quantities (IATA):Y964PCA limited quantity (IATA):30kgGPCA packing instructions (IATA):964PCA max net quantity (IATA):964CAO packing instructions (IATA):964CAO max net quantity (IATA):964CAO max net quantity (IATA):964CAO max net quantity (IATA):450LSpecial provisions (IATA):91Seco de (IATA):91Inland waterway transport:Classification code (ADN):M6Special provisions (ADN):274, 335, 375, 601Limited quantities (ADN):5 LExcepted quantities (ADN):E1Carriage permitted (ADN):TEquipment required (ADN):PPNumber of blue cones/lights (ADN):0Rail transport:11Classification code (RID):M6Special provisions (RID):274, 335, 375, 601Limited quantities (RID):E1Packing instructions (RID):F1Packing instructions (RID):F1Packing instructions (RID):P011, IBC03, LP01, R001Special packing provisions (RID):T14Portable tank and bulk container instructions (RID):T4		
Stowage category (IMDG):AAir transport		
Air transportPCA Excepted quantities (IATA): E1PCA Limited quantity max net quantity (IATA): 30kgGPCA limited quantity max net quantity (IATA): 30kgGPCA packing instructions (IATA): 964PCA max net quantity (IATA): 450LCAO packing instructions (IATA): 964CAO max net quantity (IATA): 450LCAO max net quantity (IATA): 450LSpecial provisions (IATA): 964Cao max net quantity (IATA): 450LSpecial provisions (IATA): 91LInland waterway transport:Classification code (ADN): M6Special provisions (ADN): 274, 335, 375, 601Limited quantities (ADN): 5 LExcepted quantities (ADN): 5 LExcepted quantities (ADN): TEquipment required (ADN): 0Number of blue cones/lights (ADN): 0Rail transport: 274, 335, 375, 601Classification code (RID): M6Special provisions (RID): 274, 335, 375, 601Limited quantities (RID): 5 LExcepted quantities (RID): 5 LExcepted quantities (RID): 5 LExcepted quantities (RID): 5 LExcepted grovisions (RID): 74, 335, 375, 601Limited quantities (RID): 5 LExcepted quantities (RID): 5 LExcepted quantities (RID): 5 LExcepted quantities (RID): 74, 74, 74, 74, 74, 74, 74, 74, 74, 74,		
PCA Excepted quantities (IATA):E1PCA Limited quantities (IATA):Y964PCA limited quantity max net quantity (IATA):30kgGPCA packing instructions (IATA):964PCA max net quantity (IATA):450LCAO packing instructions (IATA):964CAO max net quantity (IATA):450LSpecial provisions (IATA):450LSpecial provisions (IATA):9LInland waterway transport:9LClassification code (ADN):M6Special provisions (ADN):274, 335, 375, 601Limited quantities (ADN):5 LExcepted quantities (ADN):TEquipment required (ADN):TEquipment required (ADN):0Rail transport:0Classification code (RID):M6Special provisions (RID):274, 335, 375, 601Limited quantities (RID):SLExcepted quantities (RID):10Packing instructions (RID):M1Packing provisions (RID):PP1Mixed packing provisions (RID):PP1Portable tank and bulk container instructions (RID):TP1, TP29(RID)::14Portable tank and bulk container special provisions:TP1, TP29(RID)::3Special provisions for carriage – Packages (RID):W12Special provisions for carria	Slowage calegory (IMDG)	. A
PCA Excepted quantities (IATA):E1PCA Limited quantities (IATA):Y964PCA limited quantity max net quantity (IATA):30kgGPCA packing instructions (IATA):964PCA max net quantity (IATA):450LCAO packing instructions (IATA):964CAO max net quantity (IATA):450LSpecial provisions (IATA):450LSpecial provisions (IATA):91Inland waterway transport:91Classification code (ADN):M6Special provisions (ADN):274, 335, 375, 601Limited quantities (ADN):5 LExcepted quantities (ADN):TEquipment required (ADN):TEquipment required (ADN):0Rail transport:0Classification code (RID):M6Special provisions (RID):274, 335, 375, 601Limited quantities (RID):5LExcepted quantities (RID):10Provisions (RID):11Packing instructions (RID):PP1Number of blue cones/lights (ADN):12Special provisions (RID):PP1Nicked packing provisions (RID):PP1Nicked packing provisions (RID):TP1, TP29(RID)::14Portable tank and bulk container instructions (RID):14Portable tank and bulk container special provisions: <t< td=""><td>Air transport</td><td></td></t<>	Air transport	
PCA Limited quantities (IATA): Y964PCA limited quantity max net quantity (IATA): 30kgGPCA packing instructions (IATA): 964PCA max net quantity (IATA): 450LCAO packing instructions (IATA): 964CAO max net quantity (IATA): 450LCAO max net quantity (IATA): 450LSpecial provisions (IATA): 947Inland waterway transport: A97, A158, A197, A215ERG code (IATA): 9LInland waterway transport: 274, 335, 375, 601Limited quantities (ADN): 5 LExcepted quantities (ADN): 5 LExcepted quantities (ADN): TEquipment required (ADN): TEquipment required (ADN): 0Rail transport: 274, 335, 375, 601Classification code (RID): M6Special provisions (RID): 274, 335, 375, 601Limited quantities (RID): 5LExcepted quantities (RID): 5LExcepted quantities (RID): 5LExcepted quantities (RID): 5LExcepted quantities (RID): PP1Mixed packing provisions (RID): PP1Mixed packing provisions (RID): T4Portable tank and bulk container instructions (RID): TP1, TP29(RID): 3Special provisions for carriage – Packages (RID): W12Special provisions for carriage – Packages (RID): W13, CW31and handling (RID): CE8		: E1
PCA limited quantity max net quantity (IATA): 30kgGPCA packing instructions (IATA): 964PCA max net quantity (IATA): 450LCAO packing instructions (IATA): 964CAO max net quantity (IATA): 450LSpecial provisions (IATA): 450LSpecial provisions (IATA): 450LSpecial provisions (IATA): 9LInland waterway transport:Classification code (ADN): M6Special provisions (ADN): 274, 335, 375, 601Limited quantities (ADN): 5 LExcepted quantities (ADN): TEquipment required (ADN): TEquipment required (ADN): 0Number of blue cones/lights (ADN): 0Rail transport:Classification code (RID): M6Special provisions (RID): 5LExcepted quantities (RID): 5LExcepted quantities (RID): 5LExcepted quantities (RID): 5LExcepted quantities (RID): F1Packing instructions (RID): PP1Mixed packing provisions (RID): PP1Mixed packing provisions (RID): T4Portable tank and bulk container instructions (RID): T41Portable tank and bulk container special provisions: TP1, TP29(RID): 3Special provisions for carriage – Packages (RID): 3Special provisions for carriage – Packages (RID): W12Special provisions for carriage – Packages (RID): CW13, CW31and handling (RID): CE8		
PCA packing instructions (IATA): 964PCA max net quantity (IATA): 450LCAO packing instructions (IATA): 964CAO max net quantity (IATA): 450LSpecial provisions (IATA): 450LSpecial provisions (IATA): A97, A158, A197, A215ERG code (IATA): 9LInland waterway transportClassification code (ADN): M6Special provisions (ADN): 274, 335, 375, 601Limited quantities (ADN): 5 LExcepted quantities (ADN): E11Carriage permitted (ADN): TEquipment required (ADN): 0Rail transportClassification code (RID): M6Special provisions (RID): 274, 335, 375, 601Limited quantities (RDN): 0Rail transportClassification code (RID): M6Special provisions (RID): 5LExcepted quantities (RID): 5LExcepted quantities (RID): 5LPacking instructions (RID): P001, IBC03, LP01, R001Special provisions (RID): PP1Mixed packing provisions (RID): MP19Portable tank and bulk container instructions (RID): T4Portable tank and bulk container special provisions: TP1, TP29(RID): 1GBVTransport category (RID): 3Special provisions for carriage – Packages (RID): W12Special provisions for carriage – Packages (RID): W12Special provisions for carriage – Packages (RID): W12Special provisions for carriage – Packages (RI		
PCA max net quantity (IATA):450LCAO packing instructions (IATA):964CAO max net quantity (IATA):450LSpecial provisions (IATA):A97, A158, A197, A215ERG code (IATA):9LInland waterway transportClassification code (ADN):M6Special provisions (ADN):274, 335, 375, 601Limited quantities (ADN):5 LExcepted quantities (ADN):E1Carriage permitted (ADN):TEquipment required (ADN):0Number of blue cones/lights (ADN):0Rail transport:274, 335, 375, 601Classification code (RID):M6Special provisions (RID):0Rail transport:274, 335, 375, 601Limited quantities (RID):5LExcepted quantities (RID):5LExcepted quantities (RID):5LExcepted quantities (RID):5LExcepted quantities (RID):PP1Mixed packing provisions (RID):PP1Mixed packing provisions (RID):T4Portable tank and bulk container instructions (RID):T4Portable tank and bulk container special provisions:TP1, TP29(RID)::3Special provisions for carriage – Packages (RID):3Special provisions for carriage – Packages (RID):W12Special provisions for carri		0
CAO packing instructions (IATA): 964CAO max net quantity (IATA): 450LSpecial provisions (IATA): A97, A158, A197, A215ERG code (IATA): 9LInland waterway transportClassification code (ADN): M6Special provisions (ADN): 274, 335, 375, 601Limited quantities (ADN): 5 LExcepted quantities (ADN): E11Carriage permitted (ADN): TEquipment required (ADN): 0Number of blue cones/lights (ADN): 0Rail transport: 0Classification code (RID): M6Special provisions (RID): 5LExcepted quantities (RID): 5LPacking instructions (RID): PP1Mixed packing provisions (RID): PP1Mixed packing provisions (RID): T4Portable tank and bulk container instructions (RID): T4Portable tank and bulk container special provisions: TP1, TP29(RID): 3Special provisions for carriage – Packages (RID): W12Special provisions for carriage – Loading, unloading: CW13, CW31and handling (RID): CE8		
CAO max net quantity (IATA):450LSpecial provisions (IATA):A97, A158, A197, A215ERG code (IATA):9LInland waterway transport:Classification code (ADN):M6Special provisions (ADN):274, 335, 375, 601Limited quantities (ADN):5 LExcepted quantities (ADN):E1Carriage permitted (ADN):TEquipment required (ADN):0Number of blue cones/lights (ADN):0Rail transport:0Classification code (RID):M6Special provisions (RID):274, 335, 375, 601Limited quantities (RID):5LExcepted quantities (RID):5LExcepted quantities (RID):5LExcepted quantities (RID):5LExcepted quantities (RID):F1Packing instructions (RID):PP1Mixed packing provisions (RID):PP1Mixed packing provisions (RID):T4Portable tank and bulk container instructions (RID):T1Portable tank and bulk container special provisions:3Special provisions for carriage – Packages (RID):3Special provisions for carriage – Loading, unloading:CW13, CW31and handling (RID):CE8		
Special provisions (IATA):A97, A158, A197, A215ERG code (IATA):9LInland waterway transport:Classification code (ADN):M6Special provisions (ADN):274, 335, 375, 601Limited quantities (ADN):5 LExcepted quantities (ADN):E1Carriage permitted (ADN):TEquipment required (ADN):PPNumber of blue cones/lights (ADN):0Rail transport:Classification code (RID)Classification code (RID):M6Special provisions (RID):274, 335, 375, 601Limited quantities (RID):5LExcepted quantities (RID):5LExcepted quantities (RID):E1Packing instructions (RID):P01, IBC03, LP01, R001Special packing provisions (RID):PP1Mixed packing provisions (RID):MP19Portable tank and bulk container instructions (RID):T4Portable tank and bulk container special provisions:TP1, TP29(RID)::3Transport category (RID)::3Special provisions for carriage – Packages (RID):W12Special provisions for carriage – Loading, unloading:CW13, CW31and handling (RID):CE8:		
ERG code (IATA): 9LInland waterway transportClassification code (ADN): M6Special provisions (ADN): 274, 335, 375, 601Limited quantities (ADN): 5 LExcepted quantities (ADN): 5 LExcepted quantities (ADN): TEquipment required (ADN): TEquipment required (ADN): 0Rail transport: 0Classification code (RID): M6Special provisions (RID): 5LExcepted quantities (RID): E1Packing instructions (RID): P001, IBC03, LP01, R001Special packing provisions (RID): PP1Mixed packing provisions (RID): MP19Portable tank and bulk container instructions (RID): T4Portable tank and bulk container special provisions: TP1, TP29(RID): 3Special provisions for carriage – Packages (RID): W12Special provisions for carriage – Packages (RID): W12Special provisions for carriage – Loading, unloading: CW13, CW31and handling (RID): CE8		
Inland waterway transportClassification code (ADN):M6Special provisions (ADN):274, 335, 375, 601Limited quantities (ADN):5 LExcepted quantities (ADN):E1Carriage permitted (ADN):TEquipment required (ADN):PPNumber of blue cones/lights (ADN):0Rail transport:0Classification code (RID):M6Special provisions (RID):274, 335, 375, 601Limited quantities (RID):5 LExcepted quantities (RID):5 LExcepted quantities (RID):5 LExcepted quantities (RID):E1Packing instructions (RID):P001, IBC03, LP01, R001Special packing provisions (RID):PP1Mixed packing provisions (RID):MP19Portable tank and bulk container instructions (RID):T4Portable tank and bulk container special provisions:TP1, TP29(RID):13Special provisions for carriage – Packages (RID):W12Special provisions for carriage – Loading, unloading:CW13, CW31and handling (RID):CE8	,	
Classification code (ADN):M6Special provisions (ADN):274, 335, 375, 601Limited quantities (ADN):5 LExcepted quantities (ADN):E11Carriage permitted (ADN):TEquipment required (ADN):PPNumber of blue cones/lights (ADN):0Rail transportClassification code (RID):M6Special provisions (RID):274, 335, 375, 601Limited quantities (RID):5LExcepted quantities (RID):5LExcepted quantities (RID):5LExcepted quantities (RID):E11Packing instructions (RID):PP1Mixed packing provisions (RID):PP1Mixed packing provisions (RID):T44Portable tank and bulk container instructions (RID):T44Portable tank and bulk container special provisions:TP1, TP29(RID):LGBV3Transport category (RID):3Special provisions for carriage – Packages (RID):W12Special provisions for carriage – Loading, unloading:CW13, CW31and handling (RID):CE8	ERG code (IATA)	: 9L
Classification code (ADN):M6Special provisions (ADN):274, 335, 375, 601Limited quantities (ADN):5 LExcepted quantities (ADN):E11Carriage permitted (ADN):TEquipment required (ADN):PPNumber of blue cones/lights (ADN):0Rail transportClassification code (RID):M6Special provisions (RID):274, 335, 375, 601Limited quantities (RID):5LExcepted quantities (RID):5LExcepted quantities (RID):5LExcepted quantities (RID):E11Packing instructions (RID):PP1Mixed packing provisions (RID):PP1Mixed packing provisions (RID):T44Portable tank and bulk container instructions (RID):T44Portable tank and bulk container special provisions:TP1, TP29(RID):LGBV3Transport category (RID):3Special provisions for carriage – Packages (RID):W12Special provisions for carriage – Loading, unloading:CW13, CW31and handling (RID):CE8	Inland waterway transport	
Special provisions (ADN):274, 335, 375, 601Limited quantities (ADN):5 LExcepted quantities (ADN):E1Carriage permitted (ADN):TEquipment required (ADN):PPNumber of blue cones/lights (ADN):0Rail transportClassification code (RID):M6Special provisions (RID):274, 335, 375, 601Limited quantities (RID):5LExcepted quantities (RID):5LExcepted quantities (RID):E1Packing instructions (RID):P001, IBC03, LP01, R001Special provisions (RID):PP1Mixed packing provisions (RID):MP19Portable tank and bulk container instructions (RID):T4Portable tank and bulk container special provisions:TP1, TP29(RID):3Special provisions for carriage – Packages (RID):W12Special provisions for carriage – Loading, unloading:CW13, CW31and handling (RID):CE8		· M6
Limited quantities (ADN):5 LExcepted quantities (ADN):E1Carriage permitted (ADN):TEquipment required (ADN):PPNumber of blue cones/lights (ADN):0Rail transportClassification code (RID):Classification code (RID):M6Special provisions (RID):274, 335, 375, 601Limited quantities (RID):5LExcepted quantities (RID):E1Packing instructions (RID):P001, IBC03, LP01, R001Special packing provisions (RID):PP1Mixed packing provisions (RID):MP19Portable tank and bulk container instructions (RID):T4Portable tank and bulk container special provisions:TP1, TP29(RID):1JGBVTransport category (RID):3Special provisions for carriage – Packages (RID):W12Special provisions for carriage – Loading, unloading and handling (RID):CK31	,	
Excepted quantities (ADN):E1Carriage permitted (ADN):TEquipment required (ADN):PPNumber of blue cones/lights (ADN):0Rail transportClassification code (RID):M6Special provisions (RID):274, 335, 375, 601Limited quantities (RID):5LExcepted quantities (RID):5LExcepted quantities (RID):E1Packing instructions (RID):P001, IBC03, LP01, R001Special packing provisions (RID):PP1Mixed packing provisions (RID):MP19Portable tank and bulk container instructions (RID):T4Portable tank and bulk container special provisions:TP1, TP29(RID)::LGBVTransport category (RID)::3Special provisions for carriage – Packages (RID):W12Special provisions for carriage - Loading, unloading and handling (RID):CW13, CW31Colis express (express parcels) (RID)::CE8		
Carriage permitted (ADN):TEquipment required (ADN):PPNumber of blue cones/lights (ADN):0Rail transportClassification code (RID):M6Special provisions (RID):274, 335, 375, 601Limited quantities (RID):5LExcepted quantities (RID):E1Packing instructions (RID):P001, IBC03, LP01, R001Special packing provisions (RID):PP1Mixed packing provisions (RID):MP19Portable tank and bulk container instructions (RID):T4Portable tank and bulk container special provisions:TP1, TP29(RID):LGBV:Transport category (RID):3Special provisions for carriage – Packages (RID):W12Special provisions for carriage - Loading, unloading and handling (RID):CW13, CW31Colis express (express parcels) (RID)::CE8	,	
Equipment required (ADN):PPNumber of blue cones/lights (ADN):0Rail transport:0Classification code (RID):M6Special provisions (RID):274, 335, 375, 601Limited quantities (RID):5LExcepted quantities (RID):E1Packing instructions (RID):P001, IBC03, LP01, R001Special packing provisions (RID):PP1Mixed packing provisions (RID):MP19Portable tank and bulk container instructions (RID):T4Portable tank and bulk container special provisions:TP1, TP29(RID):LGBV:Transport category (RID):3Special provisions for carriage – Packages (RID):W12Special provisions for carriage - Loading, unloading and handling (RID):CW13, CW31Colis express (express parcels) (RID)::CE8		
Number of blue cones/lights (ADN):0Rail transport:Classification code (RID):M6Special provisions (RID):274, 335, 375, 601Limited quantities (RID):5LExcepted quantities (RID):E1Packing instructions (RID):P001, IBC03, LP01, R001Special packing provisions (RID):PP1Mixed packing provisions (RID):MP19Portable tank and bulk container instructions (RID):T4Portable tank and bulk container special provisions:TP1, TP29(RID):LGBV:Transport category (RID):3Special provisions for carriage – Packages (RID):W12Special provisions for carriage - Loading, unloading and handling (RID):CW13, CW31Colis express (express parcels) (RID)::CE8	3 1 1 1	
Rail transportClassification code (RID):M6Special provisions (RID):274, 335, 375, 601Limited quantities (RID):5LExcepted quantities (RID):E1Packing instructions (RID):P001, IBC03, LP01, R001Special packing provisions (RID):PP1Mixed packing provisions (RID):MP19Portable tank and bulk container instructions (RID):T4Portable tank and bulk container special provisions:TP1, TP29(RID):LGBVTransport category (RID):3Special provisions for carriage – Packages (RID):W12Special provisions for carriage - Loading, unloading:CW13, CW31and handling (RID):CE8		
Classification code (RID):M6Special provisions (RID):274, 335, 375, 601Limited quantities (RID):5LExcepted quantities (RID):E1Packing instructions (RID):P001, IBC03, LP01, R001Special packing provisions (RID):PP1Mixed packing provisions (RID):MP19Portable tank and bulk container instructions (RID):T4Portable tank and bulk container special provisions:TP1, TP29(RID):LGBVTransport category (RID):3Special provisions for carriage – Packages (RID):W12Special provisions for carriage - Loading, unloading and handling (RID):CKB3Colis express (express parcels) (RID):CE8	Number of blue cones/lights (ADN)	: 0
Classification code (RID):M6Special provisions (RID):274, 335, 375, 601Limited quantities (RID):5LExcepted quantities (RID):E1Packing instructions (RID):P001, IBC03, LP01, R001Special packing provisions (RID):PP1Mixed packing provisions (RID):MP19Portable tank and bulk container instructions (RID):T4Portable tank and bulk container special provisions:TP1, TP29(RID):LGBVTransport category (RID):3Special provisions for carriage – Packages (RID):W12Special provisions for carriage - Loading, unloading:CW13, CW31and handling (RID):CE8	Rail transport	
Special provisions (RID):274, 335, 375, 601Limited quantities (RID):5LExcepted quantities (RID):E1Packing instructions (RID):P001, IBC03, LP01, R001Special packing provisions (RID):PP1Mixed packing provisions (RID):MP19Portable tank and bulk container instructions (RID):T4Portable tank and bulk container special provisions:TP1, TP29(RID):LGBVTank codes for RID tanks (RID):LGBVTransport category (RID):3Special provisions for carriage – Packages (RID):W12Special provisions for carriage - Loading, unloading and handling (RID):CW13, CW31Colis express (express parcels) (RID)::CE8	-	: M6
Limited quantities (RID):5LExcepted quantities (RID):E1Packing instructions (RID):P001, IBC03, LP01, R001Special packing provisions (RID):PP1Mixed packing provisions (RID):MP19Portable tank and bulk container instructions (RID):T4Portable tank and bulk container special provisions:TP1, TP29(RID):LGBVTank codes for RID tanks (RID):LGBVTransport category (RID):3Special provisions for carriage – Packages (RID):W12Special provisions for carriage - Loading, unloading and handling (RID):CW13, CW31Colis express (express parcels) (RID):CE8		
Excepted quantities (RID):E1Packing instructions (RID):P001, IBC03, LP01, R001Special packing provisions (RID):PP1Mixed packing provisions (RID):MP19Portable tank and bulk container instructions (RID):T4Portable tank and bulk container special provisions:TP1, TP29(RID):LGBVTank codes for RID tanks (RID):LGBVTransport category (RID):3Special provisions for carriage – Packages (RID):W12Special provisions for carriage - Loading, unloading and handling (RID):CW13, CW31Colis express (express parcels) (RID):CE8		
Packing instructions (RID):P001, IBC03, LP01, R001Special packing provisions (RID):PP1Mixed packing provisions (RID):MP19Portable tank and bulk container instructions (RID):T4Portable tank and bulk container special provisions:T74Portable tank and bulk container special provisions:ID1, TP29(RID)::LGBVTransport category (RID)::3Special provisions for carriage – Packages (RID):W12Special provisions for carriage - Loading, unloading and handling (RID):CW13, CW31Colis express (express parcels) (RID):CE8		
Special packing provisions (RID):PP1Mixed packing provisions (RID):MP19Portable tank and bulk container instructions (RID):T4Portable tank and bulk container special provisions:TP1, TP29(RID):LGBVTank codes for RID tanks (RID):3Special provisions for carriage – Packages (RID):W12Special provisions for carriage - Loading, unloading and handling (RID):CW13, CW31Colis express (express parcels) (RID):CE8		
Mixed packing provisions (RID):MP19Portable tank and bulk container instructions (RID):T4Portable tank and bulk container special provisions:TP1, TP29(RID):LGBVTank codes for RID tanks (RID):LGBVTransport category (RID):3Special provisions for carriage – Packages (RID):W12Special provisions for carriage - Loading, unloading and handling (RID):CW13, CW31Colis express (express parcels) (RID):CE8	o ()	
Portable tank and bulk container instructions (RID): T4Portable tank and bulk container special provisions: TP1, TP29(RID): LGBVTank codes for RID tanks (RID): LGBVTransport category (RID): 3Special provisions for carriage – Packages (RID): W12Special provisions for carriage - Loading, unloading: CW13, CW31and handling (RID): CE8		
Portable tank and bulk container special provisions:TP1, TP29(RID):LGBVTank codes for RID tanks (RID):3Transport category (RID):3Special provisions for carriage – Packages (RID):W12Special provisions for carriage - Loading, unloading:CW13, CW31and handling (RID):CE8		
(RID):LGBVTank codes for RID tanks (RID)::Transport category (RID):3Special provisions for carriage – Packages (RID):W12Special provisions for carriage - Loading, unloading:CW13, CW31and handling (RID):CE8		
Tank codes for RID tanks (RID):LGBVTransport category (RID):3Special provisions for carriage – Packages (RID):W12Special provisions for carriage - Loading, unloading:CW13, CW31and handling (RID):CE8		: TP1, TP29
Transport category (RID): 3Special provisions for carriage – Packages (RID): W12Special provisions for carriage - Loading, unloading: CW13, CW31and handling (RID): CE8		
Special provisions for carriage – Packages (RID):W12Special provisions for carriage - Loading, unloading:CW13, CW31and handling (RID):CE8		
Special provisions for carriage - Loading, unloading: CW13, CW31and handling (RID): Colis express (express parcels) (RID): CE8		: 3
and handling (RID) Colis express (express parcels) (RID) : CE8	Special provisions for carriage – Packages (RID)	: W12
and handling (RID) Colis express (express parcels) (RID) : CE8	Special provisions for carriage - Loading, unloading	: CW13, CW31
Colis express (express parcels) (RID) : CE8		
		: CE8
	· · ·	

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

Germany

Employment restrictions Water hazard class (WGK)	 Observe restrictions according Act on the Protection of Working Mothers (MuSchG). Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG). WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1).
List of sensitizing substances (TRGS 907)	: Contains sensitizing substances according TRGS 907.
Hazardous Incident Ordinance (12. BImSchV)	: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)
Netherlands	
SZW-lijst van kankerverwekkende stoffen	: None of the components are listed
SZW-lijst van mutagene stoffen	: None of the components are listed
SZW-lijst van reprotoxische stoffen – Borstvoeding	: None of the components are listed
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid	: None of the components are listed
SZW-lijst van reprotoxische stoffen – Ontwikkeling	: None of the components are listed
Denmark	
Class for fire hazard	: Class III-1
Store unit	: 50 liter
Classification remarks	: Flammable according to the Danish Ministry of Justice; Emergency management guidelines for the storage of flammable liquids must be followed
Danish National Regulations	: Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information	
Data sources	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
Other information	: None.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EU	H-statements:
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1A	Skin sensitisation, category 1A
Skin Sens. 1B	Skin sensitisation, category 1B

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.